

11-16-00

A

JC715 U.S. PTO
11/15/00

BAKER BOTTS LLP

30 ROCKEFELLER PLAZA
44TH FLOOR
NEW YORK, NEW YORK
10112-4498
212 705 5000
FAX 212 705 5020

AUSTIN
BAKU
DALLAS
HOUSTON
LONDON
MOSCOW
NEW YORK
WASHINGTON

Appln. Trans.
PATENT

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional
applications under 37 CFR 1.53(b))

Attorney Docket No. A32000-A-072667.0172

First Named Inventor YANNICK BATARD

Express Mail Label No. EK938097140US

Total Pages

JC658 U.S. PTO
09/13/94
00/15/11

November 15, 2000

BY EXPRESS MAIL - Label No. DEK938097140US

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

Sir:

Enclosed herewith for filing is a patent application of YANNICK BATARD, FRANCIS DURST, MICHEL SCHALK and DANIELE WERCK-REICHHART entitled RECODING OF DNA SEQUENCES PERMITTING EXPRESSION IN YEAST AND OBTAINED TRANSFORMED YEAST

which includes:

- ☒ Specification 42 Total Pages
- ☒ Claims 6 Total Pages
- ☒ Abstract 1 Total Pages
- ☐ Drawing(s) Total Sheets
 - formal
 - informal

- ☒ Combined Declaration and Power of Attorney 3 Total Pages
 - ☐ Newly executed (original or copy)
 - ☒ Copy from a prior application
 (for continuation/divisional only - must be filed to avoid surcharge for late filing)

If a continuing application, check appropriate box:

- ☒ Continuation ☐ Divisional ☐ Continuation-In-Part (CIP)
- of prior application No. 09/158,767

☒ Amend the specification by inserting, before the first line, the following sentence:

"This is a ☒ continuation ☐ divisional ☐ continuation-in-part
of copending application Serial No. 09/158,767 filed September 23, 1998."

Appln. Trans.
PATENT

Attorney Docket No. A32000-A-072667.0172

- ☒ An Assignment of the invention to RHONE-POULENC AGRO .
☐ is attached. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
☐ will follow.
☒ has been filed in the prior application
- ☐ Small Entity Statement(s) **ENCLOSED**.
☐ Small Entity Statement filed in prior application. Status still proper and desired.
- ☒ Information Disclosure Statement (IDS) PTO-1449
☒ Copies of IDS Citations.

☒ Preliminary Amendment

☒ Return Receipt Postcard

☒ Other Letter Under 37 C.F.R. 1.821(e)

☐ Cancel in this application original claims _ of the prior application before calculating the filing fee.

The filing fee has been calculated as shown below:

| FOR | (Col. 1) No. Filed | (Col. 2) No. Extra | Small Entity Rate | Fee | OR | Other Than A Small Entity Rate | Fee |
|--------------------------|-----------------------|-----------------------|----------------------|---------------|--------|--------------------------------------|-----------------|
| Basic Fee | | | | | | | \$710.00 |
| Total Claims | 28 | -20 = | 8 | x 9 = | \$0.00 | x 18 = | \$144.00 |
| Ind. Claims | 2 | -3 = | 0 | x 40 = | \$0.00 | x 80 = | \$0.00 |
| Multiple Dependent Claim | | | | + 135 = | | + 270 = | |
| | | | Total | <u>\$0.00</u> | | | <u>\$854.00</u> |

* If the difference in Col. 1 is less than zero, enter "0" in Col. 2.

Fee Payment Being Made:

☒ Enclosed

☒ Basic filing fee \$854.00
☐ Recording Assignment \$0.00
 [\$40.00; 37 CFR 1.21(h)]

Total Fees Enclosed \$854.00

☒ A check in the amount of \$854.00 to cover filing fee is enclosed.

005111452ET260

Appln. Trans.
PATENT


Attorney Docket No. A32000-A-072667.0172

Priority

- [X] Priority of application Country FRANCE, Appln. No. 9712094, filed September 24, 1997, is claimed under 35 U.S.C. 119.
- [X] Certified Copy of Priority Document(s) Country FRANCE, Appln No. 9712094, filed September 24, 1997.
- ☐ is/are attached ☐ will follow ☒ has been filed in the parent application S/N 09/158,767.
- [X] The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 CFR 1.16, 1.17, and 1.21(h) associated with this communication or credit any overpayment to Deposit Account No. 02-4377. Two copies of this sheet are enclosed.

BAKER BOTTS L.L.P.

By



Janet M. MacLeod

PTO Registration No. 35,263

Enclosures

005111*462E1260

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Yannick Batard et al.
Serial No. : NOT YET ASSIGNED Examiner:
Filed : HEREWITH Group Art Unit:
For : RECODING OF DNA SEQUENCES
PERMITTING EXPRESSION IN YEAST
AND OBTAINED TRANSFORMED YEAST

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents

Washington, D.C. 20231

Sir:

Please amend the above-identified application as follows:

IN THE SPECIFICATION:

Page 12, lines 15-16, delete "(sequence identifier No. 1)" and substitute therefor --of SEQ ID NO: 1 (which encodes the amino acid sequence of SEQ ID NO: 15)--.

PATENT

Page 14, line 11, after "No. 7" insert --(which encodes the amino acid sequence of SEQ. ID NO: 16)--.

Page 14, line 11, after "No. 8" insert --(which encodes the amino acid sequence of SEQ. ID NO: 17)--.

Page 14, line 11, after "No. 9" insert --(which encodes the amino acid sequence of SEQ ID NO: 18)--.

Page 18, line 2, after "No. 10" insert --, which encodes the amino acid sequence of SEQ ID NO: 19--.

Page 18, line 14, after "No. 14" insert --, which encodes the amino acid sequence of SEQ ID NO: 20--.

Please delete pages 20-42 and renumber Pages 43-48 as pages 20-25.

After page 48, please insert the attached substitute sequence listing.

IN THE CLAIMS:

Claim 5, lines 1-2, delete "one of Claims 1 to 4" and substitute therefor --claim 1--.

Claim 7, lines 1-2, delete "one of claims 1 to 7" and substitute therefor --claim 1--.

PATENT

Claim 11, lines 1-2, delete "one of claims 9 or 10" and substitute therefor

--claim 9--.

Claims 12, lines 1-2, delete "one of claims 1 to 11" and substitute therefor

--claim 1--.

Claim 13, lines 1-2, delete "one of claims 1 to 12" and substitute therefor

--claim 1--.

Claim 15, lines 1-2, delete "one of claims 1 to 14" and substitute therefor

--claim 1--.

Claim 18, lines 1-2, delete "one of claims 1 to 17" and substitute therefor

--claim 1--.

Claim 22, line 2, delete "one of claims 1 to 21" and substitute therefor

--claim 1--.

Claim 27, line 5, delete "according to claim 23".

Claim 27, line 6, delete "one of claims 1 to 21" and substitute therefor

--claim 1--.

Claim 28, line 6, delete "according to claim 23".

Claim 28, lines 7-8, delete "one of claims 1 to 21" and substitute therefor

--claim 1--.


09713794.111500

PATENT

REMARKS

The foregoing amendments are necessary to conform the specification to the Sequence Listing and to remove multiple dependencies. No new matter has been introduced by the foregoing amendments.

Respectfully submitted,


Louis S. Sorell
Patent Office Reg. No. 32,439

Attorney for Applicants
(212) 408-2620

Janet M. MacLeod
Patent Office Reg. No. 35,263

Attorney for Applicants
(212) 408-2597

The recoding of DNA sequences to enable them to be
expressed in yeasts, and the transformed yeasts
obtained

The present invention relates to the recoding
5 of DNA sequences which encode proteins which contain
regions having a high content of codons which are
poorly translated by yeasts, in particular which encode
proteins of plant origin, such as the P450 cytochromes
of plant origin, and to their expression in yeasts.

10 It is known that certain sequences encoding
proteins of interest, in particular proteins of plant
origin, are not readily translated in yeasts. This
applies, in particular, to proteins which possess
regions having a high content of codons which are
15 poorly suited to yeasts, in particular leucine codons,
such as some P450 cytochromes of plant origin. Some
systems which have been developed for improving the
expression of P450 cytochromes of animal or plant
origin in yeasts, such as those described by Pompon et
20 al. (*Methods Enzymol.*, 272, 1996, 51-64; WO 97/10344),
have turned out to be unsuitable for large numbers of
P450 cytochromes which encompass regions having a high
content of codons which are poorly suited to yeasts.

The P450 cytochromes constitute a superfamily
25 of membrane enzymes of the monooxygenase type which are
able to oxidize a large family of generally hydrophobic
substrates. The reactions are most frequently
characterized by the oxidation of C-H or C=C bonds, and

09713794.1.11500

of heteroatoms, and, more rarely, by the reduction of
nitro groups or by dehalogenation. More specifically,
these enzymes are involved in the metabolism of
xenobiotic substances and drugs and in the biosynthesis
5 of secondary metabolites in plants, some of which have
organoleptic or pharmacodynamic properties.

As a consequence, the P450 cytochromes are
used, in particular, in:

- the *in vitro* diagnosis of the formation of
10 toxic or mutagenic metabolites (molecules of natural
origin, pollutants, drugs, pesticides, etc.), making it
possible, in particular, to develop novel active
molecules (pharmaceutical, agrochemistry),
- the identification and destruction of
15 molecules which are toxic for, or pollute, the
environment,
- the enzymic synthesis of novel molecules.

The search for heterologous expression of
P450 cytochromes by host cells, more specifically
20 yeasts, is therefore important for obtaining controlled
production of this enzyme in large quantity, either for
isolating it and using it in the above-listed
processes, or for using the transformed cells directly
for the said processes without previously isolating the
25 enzyme.

The present invention provides a solution to
the abovementioned problem, enabling proteins which
contain regions having a high content of codons which

are poorly suited to yeasts, in particular P450 cytochromes of plant origin, to be expressed in yeasts.

The present invention therefore relates to a DNA sequence, in particular a cDNA sequence, which
5 encodes a protein of interest which contains regions having a high content of codons which are poorly suited to yeasts, characterized in that a sufficient number of codons which are poorly suited to yeasts is replaced with corresponding codons which are well-suited to
10 yeasts in the said regions having a high content of codons which are poorly suited to yeasts.

Within the meaning of the present invention, "codons which are poorly suited to yeasts" are understood as being codons whose frequency of use by
15 yeasts is less than or equal to approximately 13 per 1000, preferably less than or equal to approximately 12 per 1000, more preferably less than or equal to approximately 10 per 1000. The frequency at which codons are used by yeasts, more specifically by
20 *S. cerevisiae*, is described, in particular, in "Codon usage data base from Yasukazu Nakamura" (<http://www.dna.affrc.go.jp/~nakamura/codon.html>). This applies, in particular, to codons CTC, CTG and CTT, which encode leucine, to codons CGG, CGC, CGA, CGT and
25 AGG, which encode arginine, to codons GCG and GCC, which encode alanine, to codons GGG, GGC and GGA, which encode glycine, and to codons CCG and CCC, which encode proline. The codons which are poorly suited to yeasts

in accordance with the invention are, more specifically, codons CTC and CTG, which encode leucine, CCG, CGC, CGA, CGT and AGG, which encode arginine, codons GCG and GCC, which encode alanine, GGG and GGC, 5 which encode glycine, and codons CCG and CCC, which encode proline.

Within the meaning of the present invention, "corresponding codons which are well-suited to yeasts" are understood as being the codons which correspond to 10 the codons which are poorly suited to yeasts and which encode the same amino acids, and whose frequency of use by yeasts is greater than 15 per 1000, preferably greater than or equal to 18 per 1000, more preferably greater than or equal to 20 per 1000. This applies, in 15 particular, to codons TTG and TTA, preferably TTG, which encode leucine, to codon AGA, which encodes arginine, to codons GCT and GCA, preferably GCT, which encode alanine, to codon GGT, which encodes glycine, and to codon CCA, which encodes proline.

20 Within the meaning of the present invention, "region having a high content of codons which are poorly suited to yeasts" is understood as being any region of the DNA sequence which contains at least 2 poorly suited codons among 10 consecutive codons, with 25 it being possible for the two codons to be adjacent or separated by up to 8 other codons. According to one preferred embodiment of the invention, the regions having a high content of poorly suited codons contain

09713794.111500

2, 3, 4, 5 or 6 poorly suited codons per 10 consecutive codons, or contain at least 2 or 3 adjacent poorly suited codons.

Within the meaning of the present invention,
5 "sufficient number of codons" is understood as being the number of codons which it is necessary and sufficient to replace in order to observe a substantial improvement in their expression in yeasts.

Advantageously, at least 50% of the codons which are
10 poorly suited to yeasts in the high-content region under consideration are replaced with well-suited codons. Preferably, at least 75% of the poorly suited codons of the said region are replaced, with 100% of the poorly suited codons more preferably being
15 replaced.

Within the meaning of the present invention,
"substantial improvement" is understood as being either a detectable expression when no expression of the reference sequence is observed, or an increase in
20 expression as compared with the level at which the reference sequence is expressed.

Within the meaning of the present invention,
"reference sequence" designates any sequence which encodes a protein of interest and which is modified in
25 accordance with the invention in order to promote its expression in yeasts.

The present invention is particularly well suited to DNA sequences, in particular cDNA sequences,

09713794-111500

which encode proteins of interest which contain regions having a high content of leucine and in which a sufficient number of CTC codons encoding leucine in the said region having a high content of leucine is replaced with TTG and/or TTA codons, or in which a sufficient number of CTC and CTG codons encoding leucine in the said region having a high content of leucine is replaced with TTG and/or TTA codons, preferably with a TTG codon.

Within the meaning of the present invention, "region having a high content of leucine" is understood as being a region which contains at least 2 leucines among 10 consecutive amino acids in the protein of interest, with it being possible for the two leucines to be adjacent or separated by up to 8 other amino acids. According to one preferred embodiment of the invention, the regions having a high content of leucine contain 2, 3, 4, 5 or 6 leucines per 10 consecutive amino acids, or contain at least 2 or 3 adjacent leucines.

According to a preferred embodiment of the invention, at least 50% of the CTC or CTC and CTG codons of the region having a high content of leucine are replaced with TTG or TTA codons, with at least 75% of the CTC or CTC and CTG codons of the said region preferably being replaced, and 100% of the CTC or CTC and CTG codons more preferably being replaced.

Advantageously, the present invention is

0074794.4.500

particularly suitable for DNA sequences whose general content of poorly suited codons is at least 20%, more preferably at least 30%, as compared with the total number of codons in the reference sequence.

5 Advantageously, when the reference sequence contains at least one 5' region having a high content of poorly suited codons, the recoding of this 5' region alone makes it possible to obtain a substantial improvement in the expression of the protein of
10 interest in yeasts. The length of the 5' region to be recoded in accordance with the invention will vary depending on the length of the region having a high content of poorly suited codons. This length will advantageously be at least four codons, in particular
15 when this region contains at least two adjacent poor codons, up to approximately 40 codons or more.

 However, it is not necessary, according to the invention, to recode all the reference sequence, but only the regions having a high content of poor
20 codons, in particular the 5' region on its own, in order to obtain a substantial improvement in the expression of the protein of interest in yeasts.

 Advantageously, the DNA sequence encoding a protein of interest is an isolated DNA sequence of
25 natural origin, in particular of plant origin. The invention is particularly advantageous for sequences which originate from monocotyledonous or dicotyledonous plants, preferably monocotyledonous plants, in

00713794.11500

particular of the gramineae family, such as wheat, barley, oats, rice, maize, sorghum, cane sugar, etc.

According to a preferred embodiment of the invention, the DNA sequence encodes an enzyme, in particular a cytochrome P450, which is preferably of plant origin. These P450 cytochromes exhibit a high content of poorly suited codons, in particular encoding leucine, in their N-terminal region; it is in the 5'-terminal coding region that the poorly suited codons are replaced.

The present invention also relates to a chimeric gene which comprises a DNA sequence which has been modified as above and heterologous 5' and 3' regulatory elements which are able to function in a yeast, that is to say which are able to control the expression of the protein of interest in the yeast. Such regulatory elements are well known to the skilled person and are described, in particular, by Rozman et al. (Genomics, 38, 1996, 371-381) and by Nacken et al. (Gene, 175, 1996, 253-260, *Probing the limits of expression levels by varying promoter strength and plasmid copy number in Saccharomyces cerevisiae*).

The present invention also relates to a vector for transforming yeasts which contains at least one chimeric gene as described above. It also relates to a process for transforming yeasts with the said vector and to the transformed yeasts which are obtained. It finally relates to a process for producing

09713794.11500

a heterologous protein of interest in a transformed yeast, with the sequence which encodes the said protein of interest being such as defined above.

The process for producing a heterologous
5 protein of interest in a transformed yeast comprises the steps of:

a) transforming a yeast with a vector which is able to replicate in yeasts and which contains a modified DNA sequence as defined above and heterologous
10 5' and 3' regulatory elements which are able to function in a yeast,

b) culturing the transformed yeast, and

c) extracting the protein of interest from the yeast culture.

15 When the protein of interest is an enzyme which is suitable for transforming a substrate, such as a cytochrome P450, the enzyme which has been extracted from the yeast culture is then used for catalysing the transformation of the said substrate.

20 However, the catalysis can be carried out, without requiring the extraction of the yeast, by culturing the transformed yeast in the presence of the said substrate.

The present invention also relates,
25 therefore, to a process for transforming a substrate by enzymic catalysis using an enzyme which is expressed in a yeast, which process comprises the steps of

a) culturing the yeast which has been

00511-74260

transformed in accordance with the invention in the presence of the substrate to be transformed, then

b) recovering the transformed substrate from the yeast culture.

5 When the yeast has been transformed for expressing a cytochrome P450, the reaction which is catalysed by the enzyme is an oxidation reaction, more specifically a reaction in which C-H or C=C bonds are oxidized.

10 The techniques for transforming and culturing yeasts are known to the skilled person, and are described, for example, in *Methods in Enzymology* (Vol. 194, 1991).

15 Yeasts which are of use in accordance with the invention are selected, in particular, from the genera *Saccharomyces*, *Kluyveromyces*, *Hansenula*, *Pichia* and *Yarrowia*. Advantageously, the yeast belongs to the *Saccharomyces* genus, and is in particular *S. cerevisiae*.

20 Other characteristics of the invention will become apparent in the light of the examples which follow.

Example 1: Production of a wheat cDNA gene library, and identification of the CYP73A17 sequence

25 The wheat cytochrome P450 CYP73A17 sequence was obtained by screening a young wheat plantlet (shoots and roots without the caryopses) cDNA library which was constructed in the vector λ -ZapII (Stratagene) in accordance with the supplier's

00713794.111500

instructions.

1. Production of the cDNA library

Triticum aestivum (L. cv. Darius) seeds which had been coated with cloquintocet-mexyl (0.1% per dry weight of seed) are cultured in plastic boxes on two layers of damp gauze until shoots having a size of 3 to 5 mm are obtained. The water in the boxes is then replaced with a solution of 4 mM sodium phenobarbital and the wheat is cultured until the shoots are approximately 1 cm in size.

The cDNA library is constructed in the λ -ZapII (Stratagene) vector, in accordance with the supplier's protocol and instructions, using 5 μ g of poly(A)⁺ RNA (Lesot, A., Benveniste, I., Hasenfratz, M.P., Durst, F. (1990) Induction of NADPH cytochrome P450(c) reductase in wounded tissues from *Helianthus tuberosus* tubers. Plant Cell Physiol., 31, 1177-1182) which were isolated from the treated roots and shoots.

2. Screening the cDNA library

5x10⁵ lysis plaques from the previously obtained λ -ZapII library are screened using a probe which corresponds to the complete coding sequence of *Helianthus tuberosus* CYP73A1, and which has been labelled by random priming with [α -³²P]dCTP. The filters are prehybridized and hybridized at low stringency at 55°C in accordance with the standard protocols. The membranes are washed twice for 10 minutes with 2 x SSC, 0.1% SDS, and once for 10 minutes with 0.2 x SSC, 0.1%

SDS at ambient temperature, then twice for 30 minutes with $0.2 \times$ SSC, 0.1% SDS at 45°C. The inserts of the positive lysis plaques are analysed by PCR (polymerization chain reaction) and hybridization in order to determine their size. The clones containing inserts which hybridize with CYP73A1 under the above-described conditions and which are greater than 1.5 kbp in size are rescreened before excision of the pBluescript plasmid in accordance with the supplier's (Stratagene) protocol and sequencing using the Ready Reaction Dye Deoxy Terminator Cycle prism technique developed by Applied Biosystems Inc. A full length clone is then identified by alignment with CYP73A1.

The wheat cytochrome P450 CYP73A17 which is encoded by the isolated sequence (sequence identifier No. 1) exhibits 76.2% identity with the *Helianthus tuberosus* CYP73A1.

Example 2: Alterations to the sequence encoding the wheat cytochrome P450 CYP73A17

Contrary to the situation with regard to *Helianthus tuberosus* CYP73A1, which can be expressed in yeasts (Urban et al., 1994), repeated attempts to express wheat CYP73A17 in yeasts using the same customary techniques proved to be fruitless when the nucleotide sequence was not altered at the time it was inserted into the expression vector (verification by sequencing). No protein is detected by spectrophotometry or by immunoblotting, just as no

enzymic activity is detectable in the microsomes of transformed and induced yeast.

1. Alteration of the coding sequence

The sequence encoding wheat CYP73A17 (SEQ. ID No. 1) was therefore altered, in three different ways, by PCR-induced mutagenesis, as follows:

The *Bam*HI and *Eco*RI restriction sites were respectively introduced by PCR just upstream of the ATG codon and just downstream of the stop codon of the CYP73A17 coding sequence (source, origin) using the sense and reverse primers described below, with the restriction sites being *Bam*HI in the case of the sense primers Rec1 (SEQ ID No. 3), Rec2 (SEQ ID No. 4) and Rec3 (SEQ ID No. 5), and *Eco*RI in the case of the reverse primer (SEQ ID No. 6).

A primer, represented by SEQ ID No. 2, was also employed for enabling yeasts to be transformed with the unmodified (native) sequence encoding wheat CYP73A17.

The five primers described above were obtained from Eurogentech, and were synthesized and purified in accordance with customary methods.

For each alteration using the four different sense primers, the mode of operation is as follows:

The reaction mixture (20 mM Tris-HCl, pH 8.75, 10 mM KCl, 10 mM $(\text{NH}_4)_2\text{SO}_4$, 2 mM MgSO_4 , 0.1% Triton X100, 0.1 mg/ml BSA, 5% (v/v) DMSO, 300 μM dNTP, 20 pmoles of each primer, 150 ng of template, total

volume 50 μ l) is preheated at 94°C for 2 minutes before adding 5 units of Pfu DNA polymerase (Stratagene).

After 2 minutes at 94°C, 30 amplification cycles are

carried out as follows: 1 minute of denaturation at

- 5 94°C, 2 minutes of hybridization at 55°C, 2 minutes of extension at 72°C. The reaction is completed by 10 minutes of extension at 72°C.

For each primer, a sequence is obtained which is derived from sequence ID No. 1, and which is

- 10 represented, in the case of the altered coding sequences, by the sequences ID No. 7, No. 8 and No. 9. The 5' ends of the sequences obtained using the four abovementioned sense primers are depicted below, with the *Bam*HI restriction site being shown in italics:

15 native: ATATATGGATCC ATG GAC GTC CTC CTC CTG GAG AAG GCC
 Rec 1 ATATATGGATCC ATG GAT GTT TTG TTG TTG GAG AAG GCC
 Rec 2 ATATATGGATCC ATG GAT GTT TTG TTG TTG GAA AAA GCT
 Rec 3 ATATATGGATCC ATG GAT GTT TTG TTG TTG GAA AAA GCT
 Protein: met asp val leu leu leu glu lys ala

CTC CTG GGC CTC TTC GCC GCG GCG GTG CTG GCC ATC GCC GTC GCC
 CTC CTG GGC CTC TTC GCC GCG GCG GTG CTG GCC ATC GCC GTC GCC
 TTG TTG GGT TTG TTC GCC GCG GCG GTG CTG GCC ATC GCC GTC GCC
 TTG TTG GGT TTG TTT GCT GCT GCT GTT TTG GCT ATT GCT GTT GCT
 leu leu gly leu phe ala ala ala val leu ala ile ala val ala

AAG CTC ACC GGC AAG CGC TTC CGC CTC CCC CCT GGC CCC TCC GGC
 AAG CTC ACC GGC AAG CGC TTC CGC CTC CCC CCT GGC CCC TCC GGC
 AAG CTC ACC GGC AAG CGC TTC CGC CTC CCC CCT GGC CCC TCC GGC
 AAA TTG ACT GGT AAA AGA TTT AGA TTG CCA CCA GGT CCA TCC GGC
 lys leu thr gly lys arg phe arg leu pro pro gly pro ser gly

GCC CCC ATC GTC
 GCC CCC ATC GTC
 GCC CCC ATC GTC
 GCC CCC ATC GTC
 ala pro ile val

2. Transforming the yeasts

After having been digested with the
 5 restriction enzymes *Bam*HI and *Eco*RI, the four above-
 described altered coding sequences are integrated into
 the vector pYeDP60, which is described by Pompon et al.
 (*Methods Enzymol*, 272, 1996, 51-64; WO 97/10344), the
 content of which is hereby incorporated by reference
 10 with regard to the plasmid, the method of insertion
 into the plasmid, and the method of transforming and
 growing the yeasts, in particular using the
Saccharomyces cerevisiae yeast strains W(R), WAT21 and
 WAT11. The method for transforming and growing yeasts
 15 is also described by Pompon et al. and by Urban et al.

005111-46/21/26

(*Eur. J. Biochem.*, 222, 1994, page 844, 2nd column, "Yeast transformation and cell culture").

- 4 transformed yeast strains, designated:
W73A17(native), W73A17(Rec1), W73A17(Rec2) and
5 W73A17(Rec3), are obtained.

Example 3: Expression of CYP73A17 in the altered yeasts

- The previously obtained transformed yeasts are cultured, in accordance with the method described by Urban et al. (*Eur. J. Biochem.*, 222, 1994, page 844,
10 2nd column, "Yeast transformation and cell culture"), in 50 ml of SGI medium at 30°C for 72 h. The cells are recovered by centrifuging at 8000 g for 10 minutes, washed with 25 ml of YPI medium, recentrifuged, and then resuspended in 250 ml of YPI medium. The cells are
15 induced with galactose for 14-16 h, while being shaken at 160 rpm, until the cell density reaches 10^8 cells per ml. The microsomes are then prepared using the method described by Pierrel et al. (*Eur. J. Biochem.*, 224, 1994, 835-844).

- 20 The expression of CYP73A17 achieved in the case of the four strains is quantified by differential spectrophotometry using the method described by Omura and Sato (*J. Biol. Chem.*, 177, 678-693). It is proportional to the number of poorly suited codons
25 which have been altered.

The microsomal enzymic activity is measured using the method described by Durst F., Benveniste I., Schalk M. and Werck-Reichhart D. (1996) Cinnamic acid

hydroxylase activity in plant microsomes. Methods Enzymol. 272, 259-268. The results obtained after transforming WAT21 are recorded in the Table below. The activity is expressed as cinnamate 4-hydroxylase

5 activity. The percentage additional activity (rounded values) illustrates the extent of the leap in activity which is observed after the poorly suited codons have been altered.

| | Strain | Activity pmol/min/ μ g of protein | % additional activity |
|----|------------------|---------------------------------------|-----------------------|
| 10 | W73A17 native | 0.64 | - |
| | W73A17 Rec1 | 2.84 | +340 |
| | W73A17 Rec2 | 4.92 | +670 |
| | W73A17 Rec3 | 8.90 | +1300 |

15 These results relating to the increase in enzymic activity confirm those relating to the increase in the expression of the protein in the yeasts. They demonstrate that alteration of the 5' end alone, even when limited (Rec1), is sufficient to obtain a very

20 substantial improvement in the production of the enzyme by the yeast and in its enzymic activity.

Example 4: Expression of wheat CYP86A5 in the altered yeasts

The sequence encoding wheat cytochrome P450

005117-46/37/60

CYP86A5, which is depicted by sequence identifier No. 10 (SEQ ID No. 10), was isolated from the wheat cDNA library described in Example 1 using the same method of operation as described for the CYP73A17 sequence and
5 employing the complete coding sequence of *Arabidopsis thaliana* CYP86A1 as the probe. This wheat CYP86A5 sequence was altered, in accordance with the mode of operation of Example 2, using the two oligonucleotides depicted by the sequences ID No. 12 and 13 (SEQ ID
10 No. 12 and SEQ ID No. 13) as sense and reverse primers, respectively, in order to obtain the coding sequence which is altered in accordance with the invention and which is depicted by sequence identifier No. 14 (SEQ ID No. 14).

15 A primer depicted by SEQ ID No. 11 was also used to enable yeasts to be transformed with the sequence encoding unmodified (native) wheat CYP86A5.

The yeasts are transformed with this new coding sequence and the expression is quantified by
20 differential spectrophotometry in accordance with the mode of operation described in Example 2. While the natural sequence of wheat CYP86A5 is not expressed in a detectable manner, there is substantial expression in the transformed yeasts of the sequence which has been
25 modified in accordance with the invention.

The above-described examples demonstrate unambiguously that the expression in yeasts of DNA sequences which possess a 5' region having a high

content of codons which are poorly suited to yeasts is substantially improved when this region alone is simply recoded in accordance with the invention, ever partially, with corresponding codons which are well-
5 suited to yeasts.

09713794.11500

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(iii) NUMBER OF SEQUENCES: 14

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2261 base pairs

(B) TYPE: nucleotide

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 49..1551

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

09713794.11500

| | | | | | | | | | | | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CGCAGCACGG CAACACATAC ACAGGAGCCA CACACGGCAC CTACCCCG ATG GAC GTC | | | | | | | | | | | | | | | 57 | | |
| Met Asp Val 1 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| CTC | CTC | CTG | GAG | AAG | GCC | CTC | CTG | GGC | CTC | TTC | GCC | GCG | GCG | GTG | CTG | | 105 |
| Leu | Leu | Leu | Glu | Lys | Ala | Leu | Leu | Gly | Leu | Phe | Ala | Ala | Ala | Val | Leu | | |
| | | 5 | | | | | 10 | | | | | 15 | | | | | |
| GCC | ATC | GCC | GTC | GCC | AAG | CTC | ACC | GGC | AAG | GCG | TTC | GCG | CTC | CCC | CCT | Pro | 153 |
| Ala | Ile | Ala | Val | Ala | Lys | Leu | Thr | Gly | Lys | Arg | Phe | Arg | Leu | Pro | Pro | 35 | |
| | | 20 | | | | | 25 | | | | | 30 | | | | | |
| GGC | CCC | TCC | GGC | GCC | CCC | ATC | GTC | GGC | AAC | TGG | CTG | CAG | GTC | GGC | GAC | | 201 |
| Gly | Pro | Ser | Gly | Ala | Pro | Ile | Val | Gly | Asn | Trp | Leu | Gln | Val | Gly | Asp | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| GAC | CTC | AAC | CAC | CGC | AAC | CTG | ATG | GGC | CTG | GCC | AAG | CGG | TTC | GCC | GAG | | 249 |
| Asp | Leu | Asn | His | Arg | Asn | Leu | Met | Gly | Leu | Ala | Lys | Arg | Phe | Gly | Glu | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| GTG | TTC | CTC | CTC | CGC | ATG | GGC | GTC | CGC | AAC | CTG | GTG | GTC | GTC | TCC | AGC | | 297 |
| Val | Phe | Leu | Leu | Arg | Met | Gly | Val | Val | Asn | Leu | Val | Val | Val | Ser | Ser | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| CCC | GAG | CTC | GCC | AAG | GAG | GTC | CTC | CAC | ACC | CAG | GGC | GTC | GAG | TTC | GGC | | 345 |
| Pro | Glu | Leu | Ala | Lys | Glu | Val | Leu | His | Thr | Gln | Gly | Val | Glu | Phe | Gly | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| TCC | CGC | ACC | CGC | AAC | GTC | GTC | TTC | GAC | ATC | TTC | ACC | GGC | AAG | GGA | CAG | | 393 |
| Ser | Arg | Thr | Arg | Asn | Val | Val | Phe | Asp | Ile | Phe | Thr | Gly | Lys | Gly | Gln | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| GAC | ATG | GTG | TTC | ACG | GTG | TAC | GGC | GAC | CAC | TGG | CGC | AAG | ATG | CGG | CGG | | 441 |
| Asp | Met | Val | Phe | Thr | Val | Tyr | Gly | Asp | His | Trp | Arg | Lys | Met | Arg | Arg | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| ATC | ATG | ACG | GTG | CCC | TTC | TTC | ACC | AAC | AAG | GTG | GTG | GCG | CAG | AAC | CGC | | 489 |
| Ile | Met | Thr | Val | Pro | Phe | Phe | Thr | Asn | Lys | Val | Val | Ala | Gln | Asn | Arg | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| GTG | GGG | TGG | GAG | GAG | GAG | GCC | CGG | CTG | GTG | GTG | GAG | GAC | CTC | AAG | GCC | | 537 |
| Val | Gly | Trp | Glu | Glu | Glu | Ala | Arg | Leu | Val | Val | Glu | Asp | Leu | Lys | Ala | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

03713794.111500

GAC CCG GCG GCG GCG ACG GCG GCG GTG GTG GTC GCG CCG AGG CTG CAG 585
 Asp Pro Ala Ala Ala Thr Ala Gly Val Val Val Arg Arg Arg Leu Gln
 165 170 175
 CTC ATG ATG TAC AAC GAC ATG TTC CCG ATC ATG TTC GAC CCG CGG TTC 633
 Leu Met Met Tyr Asn Asp Met Phe Arg Ile Met Phe Asp Arg Arg Phe
 180 185 190
 GAG AGC GTG GCC GCG CCG CTC TTC AAC CAG CTC AAG GCG CTC AAC GCC 681
 Glu Ser Val Ala Asp Pro Leu Phe Asn Gln Leu Lys Ala Leu Asn Ala
 200 205 210
 GAG CCG AGC ATC CTC TCC CAG AGC TTC GAC TAC AAC TAC GCG GAC TTC 729
 Glu Arg Ser Ile Leu Ser Gln Ser Phe Asp Tyr Asn Tyr Gly Asp Phe
 215 220 225
 ATC CCC GTC CTC CCG CCC TTC CTC CCG CCG TAC CTC AAC CCG TGC ACC 777
 Ile Pro Val Leu Arg Pro Phe Leu Arg Arg Tyr Leu Asn Arg Cys Thr
 230 235 240
 AAC CTC AAG ACC AAG CCG ATG AAG GTG TTC GAG GAC CAC TTC GTC CAG 825
 Asn Leu Lys Thr Lys Arg Met Lys Val Phe Glu Asp His Phe Val Gln
 245 250 255
 CAG CCG AAG GAG GCG TTG GAG AAG ACG GGT GAG ATC AGG TGC GCC ATG 873
 Gln Arg Lys Glu Ala Leu Glu Lys Thr Gly Glu Ile Arg Cys Ala Met
 260 265 270 275
 GAC CAC ATC CTG GAA GCC GAA AGG AAG GCG GAG ATC AAC CAC GAC AAC 921
 Asp His Ile Leu Glu Ala Glu Arg Lys Gly Glu Ile Asn His Asp Asn
 280 285 290
 GTC CTC TAC ATC GTC GAG AAC ATC AAC GTC GCA GCC ATC GAG ACG ACG 969
 Val Leu Tyr Ile Val Glu Asn Ile Asn Val Ala Ala Ile Glu Thr Thr
 295 300 305
 CTG TGG TCG ATC GAG TGG GCG CTC CCG GAG CTG GTG AAC CAC CCG GAG 1017
 Leu Trp Ser Ile Glu Trp Gly Leu Ala Glu Leu Val Asn His Pro Glu
 310 315 320
 ATC CAG CAG AAG CTG CCG GAG GAG ATC GTC CCC GTT CTG GCG GCC GCG 1065
 Ile Gln Gln Lys Leu Arg Glu Glu Ile Val Ala Val Leu Gly Ala Gly
 325 330 335
 GTG CCG GTG ACG GAG CCG GAC CTG GAG CCG CTC CCC TAC CTG CAG TCC 1113
 Val Ala Val Thr Glu Pro Asp Leu Glu Arg Leu Pro Tyr Leu Gln Ser
 340 345 350 355
 GTG GTG AAG GAG ACG CTC CCG CTC CCG ATG GCA ATC CCG CTC CTG GTG 1161
 Val Val Lys Glu Thr Leu Arg Leu Arg Met Ala Ile Pro Leu Leu Val
 360 365 370
 CCG CAC ATG AAC CTC AGC GAC GCC AAG CTC GCC GCG TAC GAC ATC CCC 1209
 Pro His Met Asn Leu Ser Asp Ala Lys Leu Ala Gly Tyr Asp Ile Pro
 375 380 385
 GCC GAG TCC AAG ATC CTC GTC AAC GCC TGG TTC CTC GCC AAC GAC CCC 1257
 Ala Glu Ser Ser Lys Ile Leu Val Asn Ala Trp Phe Leu Ala Asn Asp Pro
 390 395 400
 AAG CCG TGG GTG CCG GCC GAT GAG TTC AGG CCG GAG AGG TTC CTC GAG 1305
 Lys Arg Trp Val Arg Ala Asp Glu Phe Arg Pro Glu Arg Phe Leu Glu
 405 410 415
 GAG GAG AAG GCC GTC GAG GCC CAC GCG AAC GAT TTC CCG TTC GTG CCC 1353
 Glu Glu Lys Ala Val Glu Ala His Gly Asn Asp Phe Arg Phe Val Pro
 420 425 430 435

09723794.11500

| | |
|---|------|
| TTC GGC GTC GGC CGC CGG AGC TGC CCC GGG ATC ATC CTC GCG CTG CCC Phe Gly Val Gly Arg Arg Ser Cys Pro Gly Ile Ile Leu Ala Leu Pro 440 445 450 | 1401 |
| ATC ATC GGC ATC ACG CTC GGA CGC CTG GTG CAG AAC TTC CAG CTG CTG Ile Ile Gly Ile Thr Leu Gly Arg Leu Val Gln Asn Phe Gln Leu Leu 455 460 465 | 1449 |
| CGC CGC CGC GGG CAG GAC AAG ATC GAC ACC ACC GAG AAG CCC GGG CAG Pro Pro Pro Gly Gln Asp Lys Ile Asp Thr Thr Glu Lys Pro Gly Gln 470 475 480 | 1497 |
| TTT ACC AAC CAG ATC CTC AAG CAC GCC ACC ATT GTC TGC AAG CCA CTC Phe Thr Asn Gln Ile Leu Lys His Ala Thr Ile Val Cys Lys Pro Leu 485 490 495 | 1545 |
| GAG GCT TAACTGAATT GAGGTTTCGG TCATGGGCGC CCGCTGACGC GGGGAGATGG Glu Ala 500 | 1601 |
| ATCTATGCAT GTGACTGTGT ATTTTGCCTT CTTTCTTTTT GGTGTGTGTTT TTTGCAGTAG | 1661 |
| TAAGTTTAAT TTTTCITTTGG TGTTTGGCCTA TTTGTCTTCA TGTGAGGCGT CGTGTTGTAA | 1721 |
| ATTTCATAT AGTTGGCAAT GTGATGTAAA ACTTGGCTCC AAAAAAAAAA AAAAAAAAACT | 1781 |
| CGAGACTCTT CTCTCTCTCT CTCTCTCTCC AGCCTCGGGT CTCTGCTGGC AAGGGAACTT | 1841 |
| GCATTACCCT GTGTACGACG GCGCCATGTT CGTCCCTGAA GCACCCCTCCC TGCAGAGCTC | 1901 |
| CCAGGACAAC TTCGCTGCAT CTGCTGGTTT CAAGCGTCGA AGGAGAGAGT TTTGAATACC | 1961 |
| CGAAAGAATA TAGCGTTGGA CATACTCTC AAACAGGGGA TCTTGCTGTG GGTCTCTTGG | 2021 |
| TGGGCCAAAT CGCATAGACA ATCATTCAAA TGGATGGGTT CTTCGCTGGT CGGTCAAAAA | 2081 |
| GTATATGTTG TAATTGTACG CCTTTTITGG GTCTTGTGTC CAAAGATCAT GGTATTGAG | 2141 |
| TTGTGAGCTC TGAGATAACA GGTATTGTGA TAGTGAAATA AAGAGGAGCG TCGTCAACAC | 2201 |
| CATGTACTAT ATAGGCTTTG AAATTCATT AAGATGCATC AGAAATCAAT GTTGGATTTG | 2261 |

0051114621760

(2) INFORMATION FOR SEQ ID NO: 2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 38 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other nucleic acid
 - (A) DESCRIPTION: /desc = "primer"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

ATATATGGAT CCATGGACGT CCTCCTCCTG GAGAAGGC

38

(2) INFORMATION FOR SEQ ID NO: 3:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 56 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other nucleic acid
 - (A) DESCRIPTION: /desc = "primer"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

ATATATGGAT CCATGGATGT TTTGTTGTTG GAGAAGGCCCT TCCTGGGCCT CTTGCG

56

(2) INFORMATION FOR SEQ ID NO: 4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 71 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other nucleic acid

00713794.141500

(A) DESCRIPTION: /desc = "primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

| | |
|--|----|
| ATATATGGAT CCATGGATGT TTTGTGTTG GAAAAAGCTT TGTGGGTTT GTTCGCCGC | 60 |
| GCGGTGCTGG C | 71 |

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 143 base pairs

(B) TYPE: nucleotide

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

| | |
|---|-----|
| ATATATGGAT CCATGGATGT TTTGTGTTG GAAAAAGCTT TGTGGGTTT GTTCGCTGCT | 60 |
| GCTGTTTGG CTATTGCTGT TGCTAAATTG ACTGGTAAAA GATTAGATT GCCACCAGT | 120 |
| CCATCCGGCG CCCCCATGCT CGG | 143 |

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 39 base pairs

(B) TYPE: nucleotide

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "primer"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

00511746ZET60

TATATAGAAT TCCAGTTAAG CCTCGAGTGG CTTCAGAC

39

(2) INFORMATION FOR SEQ ID NO: 7:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1506 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 1..1503
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

09713794.111500

| | |
|--|-----|
| ATG GAT GTT TTG TTG TTG GAG AAG GCC CTC CTG GGC CTC TTC GCC GCG Met Asp Val Leu Leu Glu Lys Ala 10 Leu Leu Gly Leu Phe Ala Ala 15 | 48 |
| GCG GTG CTG GCC ATC GCC GTC GCC AAG CTC ACC GGC AAG CGC TTC CGC Ala Val Leu Ala Ile Ala Val Ala 20 Lys Leu Thr Gly Arg Phe Arg 30 | 96 |
| CTC CCC CCT GGC CCC TCC GGC GCC CCC ATC GTC GGC AAC TGG CTG CAG Leu Pro 35 Pro Gly Pro Ser Gly Ala 40 Pro Ile Val Gly Asn Trp Leu Gln 45 | 144 |
| GTC GGC GAC GAC CTC AAC CAC CGC AAC CTG ATG GGC CTG GCC AAG CGG Val Gly Asp Asp Leu Asn His Arg Asn Leu Met Gly Leu Ala Lys Arg 50 55 60 | 192 |
| TTC GGC GAG GTG TTC CTC CTC CGC ATG GGC GTC CGC AAC CTG GTG GTC Phe Gly Glu Val Phe Leu Arg Met Gly Val Arg Asn Leu Val Val 65 70 75 80 | 240 |
| GTC TCC AGC CCC GAG CTC GCC AAG GAG GTC CTC CAC ACC CAG GGC GTC Val Ser Ser Pro Glu Leu Ala Lys Glu Val Leu His Thr Gln Gly Val 85 90 95 | 288 |
| GAG TTC GGC TCC CGC ACC CGC AAC GTC GTC TTC GAC ATC TTC ACC GGC Glu Phe Gly Ser Arg Thr Arg Asn Val Val Phe Asp Ile Phe Thr Gly 100 105 110 | 336 |
| AAG GGA CAG GAC ATG GTG TTC ACG GTG TAC GGC GAC CAC TGG CGC AAG Lys Gly Gln Asp Met Val Phe Thr Val Tyr Gly Asp His Trp Arg Lys 115 120 125 | 384 |
| ATG CGG CGG ATC ATG ACG GTG CCC TTC TTC ACC AAC AAG GTG GTG GCG Met Arg Arg Ile Met Thr Val Pro Phe Phe Thr Asn Lys Val Val Ala 130 135 140 | 432 |
| CAG AAC CGC GTG GGG TGG GAG GAG GAG GCC CGG CTG GTG GTG GAG GAC Gln Asn Arg Val Gly Trp Glu Glu Glu Ala Arg Leu Val Val Glu Asp 145 150 155 160 | 480 |
| CTC AAG GCC GAC CCG GCG GCG GCG ACG GCG GGC GTG GTG GTC CGC CGC Leu Lys Ala Asp Pro Ala Ala Ala Thr Ala Gly Val Val Val Arg Arg 165 170 175 | 528 |
| AGG CTG CAG CTC ATG ATG TAC AAC GAC ATG TTC CGC ATC ATG TTC GAC Arg Leu Gln Leu Met Met Tyr Asn Asp Met Phe Arg Ile Met Phe Asp 180 185 190 | 576 |
| CGC CGG TTC GAG AGC GTG GCC GAC CCG CTC TTC AAC CAG CTC AAC GCG Arg Arg Phe Glu Ser Val Ala Asp Pro Leu Phe Asn Gln Leu Lys Ala 195 200 205 | 624 |
| CTC AAC GCC GAG CGC AGC ATC CTC TCC CAG AGC TTC GAC TAC AAC TAC Leu Asn Ala Glu Arg Ser Ile Leu Ser Gln Ser Phe Asp Tyr Asn Tyr 210 215 220 | 672 |
| GGC GAC TTC ATC CCC GTC CTC CGC CCC TTC CTC CGC CGC TAC CTC AAC Gly Asp Phe Ile Pro Val Leu Arg Pro Phe Leu Arg Arg Tyr Leu Asn 225 230 235 240 | 720 |

09713794.11500

| | |
|---|------|
| CGC TGC ACC AAC CTC AAG ACC AAG CGG ATG AAG GTG TTC GAG GAC CAC | 768 |
| Arg Cys Thr Asn Leu Lys Thr Lys Arg Met Lys Val Phe Glu Asp His | |
| 245 | 250 |
| TTC GTC CAG CAG CGC AAG GAG CGC TTG GAG AAG ACG GGT GAG ATC AGG | 816 |
| Phe Val Gln Gln Arg Lys Glu Ala Leu Glu Lys Thr Gly Glu Ile Arg | |
| 260 | 265 |
| TGC GCC ATG GAC CAC ATC CTC GAA GCC GAA AGG AAG GGC GAG ATC AAC | 864 |
| Cys Ala Met Asp His Ile Leu Glu Ala Glu Arg Lys Gly Glu Ile Asn | |
| 275 | 280 |
| CAC GAC AAC GTC CTC TAC ATC GTC GAG AAC ATC AAC GTC GCA GCC ATC | 912 |
| His Asp Asn Val Leu Tyr Ile Val Glu Asn Ile Asn Val Ala Ala Ile | |
| 290 | 300 |
| GAG ACG ACG CTG TGG TCG ATC GAG TGG GGC CTC GCG GAG CTG GTG AAC | 960 |
| Glu Thr Thr Leu Trp Ser Ile Glu Trp Gly Leu Ala Glu Leu Val Asn | |
| 305 | 310 |
| CAC CCG GAG ATC CAG CAG AAG CTG CGC GAG GAG ATC GTC GCC GTT CTG | 1008 |
| His Pro Glu Ile Gln Gln Lys Leu Arg Glu Glu Ile Val Ala Val Leu | |
| 325 | 330 |
| GGC GCC GGC GTG GCG GTG ACG GAG CCG GAC CTG GAG GCG CTC CCC TAC | 1056 |
| Gly Ala Gly Val Ala Val Thr Glu Pro Asp Leu Glu Arg Pro Tyr | |
| 340 | 345 |
| CTG CAG TCC GTG GTG AAG GAG ACG CTC CCG CTC CCG ATG GCA ATC CCG | 1104 |
| Leu Gln Ser Val Val Lys Glu Thr Leu Arg Leu Arg Met Ala Ile Pro | |
| 355 | 360 |
| CTC CTG GTG CCG CAC ATG AAC CTC AGC GAC GCC AAG CTC GCC GGC TAC | 1152 |
| Leu Leu Val Pro His Met Asn Leu Ser Asp Ala Lys Leu Ala Gly Tyr | |
| 370 | 375 |
| GAC ATC CCC GCC GAG TCC AAG ATC CTC GTC AAC GCC TGG TTC CTC GCC | 1200 |
| Asp Ile Pro Ala Glu Ser Lys Ile Leu Val Asn Ala Trp Phe Leu Ala | |
| 385 | 390 |
| AAC GAC CCC AAG CGG TGG GTG CCG GAT GAG TTC AGG CCG GAG AGG | 1248 |
| Asn Asp Pro Lys Arg Trp Val Arg Ala Asp Glu Phe Arg Pro Glu Arg | |
| 405 | 410 |
| TTC CTC GAG GAG GAG AAG GCC GTC GAG GCC CAC GGC AAC GAT TTC CCG | 1296 |
| Phe Leu Glu Glu Glu Lys Ala Val Glu Ala His Gly Asn Asp Phe Arg | |
| 420 | 425 |
| TTC GTG CCC TTC GGC GTC GGC CCG AGC TGC CCC GGG ATC ATC CTC | 1344 |
| Phe Val Pro Phe Gly Val Gly Arg Arg Ser Cys Pro Gly Ile Ile Leu | |
| 435 | 440 |
| GGC CTG CCC ATC ATC GGC ATC ACG CTC GGA CCG CTC GTG CAG AAC TTC | 1392 |
| Ala Leu Pro Ile Ile Gly Ile Thr Leu Glu Arg Leu Val Gln Asn Phe | |
| 450 | 455 |
| CAG CTG CTG CCG CCG CCG GGG CAG GAC AAG ATC GAC ACC ACC GAG AAG | 1440 |
| Gln Leu Leu Pro Pro Gly Gln Asp Lys Ile Asp Thr Thr Glu Lys | |
| 465 | 470 |
| CCC GGG CAG TTT ACC AAC CAG ATC CTC AAG CAG GCC ACC ATT GTC TGC | 1488 |
| Pro Gly Gln Phe Thr Asn Gln Ile Leu Lys His Ala Thr Ile Val Cys | |
| 485 | 490 |
| AAG CCA CTC GAG GCT TAA | 1506 |
| Lys Pro Leu Glu Ala | |
| 500 | |

09713794.111500

(2) INFORMATION FOR SEQ ID NO: 8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1506 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 1..1503
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

03713794.111500

| | |
|--|-----|
| ATG GAT GTT TTG TTG TTG GAA AAA GCT TTG TTG GGT TTG TTC GCC GCG Met Asp Val Leu Leu Leu Glu Lys Ala Leu Leu Gly Leu Phe Ala Ala | 48 |
| 1 5 10 15 | |
| CGG GTG CTG GCC ATC GCC GTC GCC AAG CTC ACC GGC AAG CGC TTC CGC Ala Val Leu Ala Ile Ala Val Ala Lys Leu Thr Gly Lys Arg Phe Arg | 96 |
| 20 25 30 | |
| CTC CCC CCT GGC CCC TCC GGC GCC CCC ATC GTC GGC AAC TGG CTG CAG Leu Pro Pro Gly Pro Ser Gly Ala Pro Ile Val Gly Asn Trp Leu Gln | 144 |
| 35 40 45 | |
| GTC GGC GAC GAC CTC AAC CAC GCG AAC CTG ATG GGC CTG GCC AAG CCG Val Gly Asp Asp Leu Asn His Arg Asn Leu Met Gly Leu Ala Lys Arg | 192 |
| 50 55 60 | |
| TTC GGC GAG GTG TTC CTC CTC GCG ATG GGC GTC CGC AAC CTG GTG GTC Phe Gly Glu Val Phe Leu Leu Arg Met Gly Val Arg Asn Leu Val Val | 240 |
| 65 70 75 80 | |
| GTC TCC AGC CCC GAG CTC GCC AAG GAG GTC CTC CAC ACC CAG GGC GTC Val Ser Ser Pro Glu Leu Ala Lys Glu Val Leu His Thr Gln Gly Val | 288 |
| 85 90 95 | |
| GAG TTC GGC TCC CGC ACC CGC AAC GTC GTC TTC GAC ATC TTC ACC GGC Glu Phe Gly Ser Arg Thr Arg Asn Val Val Phe Asp Ile Phe Thr Gly | 336 |
| 100 105 110 | |
| AAG GGA CAG GAC ATG GTG TTC ACG GTG TAC GGC GAC CAC TGG CGC AAG Lys Gly Gln Asp Met Val Phe Thr Val Tyr Gly Asp His Trp Arg Lys | 384 |
| 115 120 125 | |
| ATG CGG CGG ATC ATG ACG GTG CCC TTC TTC ACC AAC AAG GTG GTG GCG Met Arg Arg Ile Met Thr Val Pro Phe Phe Thr Asn Lys Val Val Ala | 432 |
| 130 135 140 | |
| CAG AAC CGC GTG GGG TGG GAG GAG GAG GCG CGG CTG GTG GTG GAG GAC Gln Asn Arg Val Gly Trp Glu Glu Glu Ala Arg Leu Val Val Glu Asp | 480 |
| 145 150 155 160 | |
| CTC AAG GCC GAC CCG GCG GCG GCG ACG GCG GGC GTG GTG GTC CGC CGC Leu Lys Ala Asp Pro Ala Ala Ala Thr Ala Gly Val Val Val Arg Arg | 528 |
| 165 170 175 | |
| AGG CTG CAG CTC ATG ATG TAC AAC GAC ATG TTC CGC ATC ATG TTC GAC Arg Leu Gln Leu Met Met Tyr Asn Asp Met Phe Arg Ile Met Phe Asp | 576 |
| 180 185 190 | |
| CGC CGG TTC GAG AGC GTG GCC GAC CCG CTC TTC AAC CAG CTC AAG GCG Arg Arg Phe Glu Ser Val Ala Asp Pro Leu Phe Asn Gln Leu Lys Ala | 624 |
| 195 200 205 | |

09713794.111500

| | |
|---|------|
| CTC AAC GCC GAG CGC AGC ATC CTC TCC CAG AGC TTC GAC TAC AAC TAC Leu Asn Ala Glu Arg Ser Ile Leu Ser Gln Ser Phe Asp Tyr Asn Tyr 210 215 220 | 672 |
| GCC GAC TTC ATC CCC GTC CTC CGC CCC TTC CTC CGC CCC TAC CTC AAC Gly Asp Phe Ile Pro Val Leu Arg Pro Phe Leu Arg Arg Tyr Leu Asn 225 230 235 240 | 720 |
| CGC TGC ACC AAC CTC AAG ACC AAG CGG ATG AAG GTG TTC GAG GAC CAC Arg Cys Thr Asn Leu Lys Thr Lys Arg Met Lys Val Phe Glu Asp His 245 250 255 | 768 |
| TTC GTC CAG CAG CGC AAG GAG CGC TTC GAG AAG ACG GGT GAG ATC ACG Phe Val Gln Gln Arg Lys Glu Ala Leu Glu Lys Thr Gly Glu Ile Arg 260 265 270 | 816 |
| TGC GCC ATG GAC CAC ATC CTG GAA GCC GAA AGG AAG GGC GAG ATC AAC Cys Ala Met Asp His Ile Leu Glu Ala Glu Arg Lys Gly Glu Ile Asn 275 280 285 | 864 |
| CAC GAC AAC GTC CTC TAC ATC GTC GAG AAC ATC AAC GTC GCA GCC ATC His Asp Asn Val Leu Tyr Ile Val Glu Asn Ile Asn Val Ala Ala Ile 290 295 300 | 912 |
| GAG ACG ACG CTG TGG TCG ATC GAG TGG GGC CTC GCG GAG CTG GTG AAC Glu Thr Thr Leu Trp Ser Ile Glu Trp Gly Leu Ala Glu Leu Val Asn 305 310 315 320 | 960 |
| CAC CCG GAG ATC CAG CAG AAG CTG CGC GAG GAG ATC GTC GCC GTT CTG His Pro Glu Ile Gln Gln Lys Leu Arg Glu Glu Ile Val Ala Val Leu 325 330 335 | 1008 |
| GGC GCC GGC GTG CGC GTG ACG GAG CCG GAC CTG GAG CGC CTC CCC TAC Gly Ala Gly Val Ala Val Thr Glu Pro Asp Leu Glu Arg Leu Pro Tyr 340 345 350 | 1056 |
| CTG CAG TCC GTG GTG AAG GAG ACG CTC CGC CTC CGC ATG GCA ATC CCG Leu Gln Ser Val Val Lys Glu Thr Leu Arg Leu Arg Met Ala Ile Pro 355 360 365 | 1104 |
| CTC CTG GTG CCG GAC ATG AAC CTC AGC GAC GCC AAG CTC GCC GGC TAC Leu Leu Val Pro His Met Asn Leu Ser Asp Ala Lys Leu Ala Gly Tyr 370 375 380 | 1152 |
| GAC ATC CCC GCC GAG TCC AAG ATC CTC GTC AAC GCC TGG TTC CTC GCC Asp Ile Pro Ala Glu Ser Lys Ile Leu Val Asn Ala Trp Phe Leu Ala 385 390 395 400 | 1200 |
| AAC GAC CCC AAG CGG TGG GTG CGC GCC GAT GAG TTC AGG CCG GAG AGG Asn Asp Pro Lys Arg Trp Val Arg Ala Asp Glu Phe Arg Pro Glu Arg 405 410 415 | 1248 |
| TTC CTC GAG GAG GAG AAG GCC GTC GAG GCC CAC GGC AAC GAT TTC CGG Phe Leu Glu Glu Glu Lys Ala Val Glu Ala His Gly Asn Asp Phe Arg 420 425 430 | 1296 |
| TTC GTG CCC TTC GGC GTC GGC CGC CGG AGC TGC CCC GGG ATC ATC CTC Phe Val Pro Phe Gly Val Gly Arg Arg Ser Cys Pro Gly Ile Ile Leu 435 440 445 | 1344 |
| GGC CTG CCC ATC ATC GGC ATC ACG CTC GGA CGC CTG GTG CAG AAC TTC Ala Leu Pro Ile Ile Gly Ile Thr Leu Gly Arg Leu Val Gln Asn Phe 450 455 460 | 1392 |
| CAG CTG CTG CCG CCG CCG GGG CAG GAC AAG ATC GAC ACC ACC GAG AAG Gln Leu Leu Pro Pro Pro Gly Gln Asp Lys Ile Asp Thr Thr Glu Lys 465 470 475 480 | 1440 |

09713794.111500

CCC GGG CAG TTT ACC AAC CAG ATC CTC AAG CAC GCC ACC ATT GTC TGC
Pro Gly Gln Phe Thr Asn Gln Ile Leu Lys His Ala Thr Ile Val Cys
485 490 495

AAG CCA CTC GAG GCT TAA
Lys Pro Leu Glu Ala
500

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1506 base pairs

(B) TYPE: nucleotide

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..1503

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

| | |
|--|-----|
| ATG GAT GTT TTG TTG TTG GAA AAA GCT TTG TTG GGT TTG TTT GCT GCT Met Asp Val Leu Leu Leu Glu Lys Ala Leu Leu Gly Leu Phe Ala Ala | 48 |
| 505 510 515 | |
| GCT GTT TTG GCT ATT GCT GTT GCT AAA TTG ACT GGT AAA AGA TTT AGA Ala Val Leu Ala Ile Ala Val Ala Lys Leu Thr Gly Lys Arg Phe Arg | 96 |
| 520 525 530 | |
| TTG CCA CCA GGT CCA TCC GGC GCC CCC ATC GTC GGC AAC TGG CTG CAG Leu Pro Pro Gly Pro Ser Gly Ala Pro Ile Val Gly Asn Trp Leu Gln | 144 |
| 35 40 45 | |
| CTC GGC GAC GAC CTC AAC CAC CAC AAC CTG ATG GGC CTG GCC AAG CGG Val Gly Asp Asp Leu Asn His Arg Asn Leu Met Gly Leu Ala Lys Arg | 192 |
| 50 55 60 | |
| TTC GGC GAG GTG TTC CTC CTC CGC ATG GGC GTC CGC AAC CTG GTG GTC Phe Gly Glu Val Phe Leu Leu Arg Met Gly Val Arg Asn Leu Val Val | 240 |
| 65 70 75 | |
| GTC TCC AGC CCC GAG CTC GCC AAG GAG GTC CTC CAC ACC CAG GGC GTC Val Ser Ser Pro Glu Leu Ala Lys Glu Val Leu His Thr Gln Gly Val | 288 |
| 85 90 95 | |
| GAG TTC GGC TCC CGC ACC CGC AAC GTC GTC TTC GAC ATC TTC ACC GGC Glu Phe Gly Ser Arg Thr Arg Asn Val Val Phe Asp Ile Phe Thr Gly | 336 |
| 100 105 110 | |
| AAG GGA CAG GAC ATG GTG TTC ACG GTG TAC GGC GAC CAC TGG CGC AAG Lys Gly Gln Asp Met Val Phe Thr Val Tyr Gly Asp His Trp Arg Lys | 384 |
| 115 120 125 | |
| ATG CGG CGG ATC ATG ACG GTG CCC TTC TTC ACC AAC AAG GTG GTG CGG Met Arg Arg Ile Met Thr Val Pro Phe Phe Thr Asn Lys Val Val Ala | 432 |
| 130 135 140 | |
| CAG AAC CGC GTG GGG TGG GAG GAG GAG GCC CGG CTG GTG GTG GAG GAC Gln Asn Arg Val Gly Trp Glu Glu Glu Ala Arg Leu Val Val Glu Asp | 480 |
| 145 150 155 | |
| CTC AAG GCC GAC CCG GCG GCG GCG ACG GCG GGC GTG GTG GTC CGC CGC Leu Lys Ala Asp Pro Ala Ala Ala Thr Ala Gly Val Val Val Arg Arg | 528 |
| 165 170 175 | |

09713794.111500

| | |
|---|------|
| AGG CTG CAG CTC ATG ATG TAC AAC GAC ATG TTC CGC ATC ATG TTC GAC | 576 |
| Arg Leu Gln Leu Met Met Tyr Asn Asp Met Phe Arg Ile Met Phe Asp | |
| 180 | |
| CGC CGG TTC GAG AGC GTG GCC GAC CCG CTC TTC AAC CAG CTC AAG CCG | 624 |
| Arg Arg Phe Phe Glu Ser Val Ala Asp Ala Phe Asn Gln Leu Lys Ala | |
| 195 | |
| 200 | |
| CTC AAC GCC GAG CGC AGC ATC CTC TCC CAG AGC TTC GAC TAC AAC TAC | 672 |
| Leu Asn Ala Glu Arg Ser Ile Leu Ser Gln Ser Phe Asp Tyr Asn Tyr | |
| 210 | |
| 215 | |
| CGC GAC TTC ATC CCC GTC CTC CGC CCC TTC CTC CGC GAC TAC CTC AAC | 720 |
| Gly Asp Phe Ile Pro Val Leu Arg Pro Phe Leu Arg Arg Tyr Leu Asn | |
| 225 | |
| 230 | |
| 235 | |
| CGC TGC ACC AAC CTC AAG ACC AAG CGG ATG AAG GTG TTC GAG GAC CAC | 768 |
| Arg Cys Thr Asn Leu Lys Thr Lys Arg Met Lys Val Phe Glu Asp His | |
| 245 | |
| 250 | |
| 255 | |
| TTC GTC CAG CAG CGC AAG GAG CGC TTG GAG AAG ACG GGT GAG ATC AGG | 816 |
| Phe Val Gln Gln Arg Lys Glu Ala Leu Glu Lys Thr Gly Ile Arg | |
| 260 | |
| 265 | |
| TGC GCC ATG GAC CAC ATC CTG GAA GCC GAA AGG AAG GGC GAG ATC AAC | 864 |
| Cys Ala Met Asp His Ile Leu Glu Ala Glu Arg Lys Gly Glu Ile Asn | |
| 275 | |
| 280 | |
| 285 | |
| CAC GAC AAC GTC CTC TAC ATC GTC GAG AAC ATC AAC GTC GCA GCC ATC | 912 |
| His Asp Asn Val Leu Tyr Ile Val Glu Asn Ile Asn Val Ala Ala Ile | |
| 290 | |
| 295 | |
| 300 | |
| GAG ACG ACG CTG TGG TCG ATC GAG TGG GGC CTC GCG GAG CTG GTG AAC | 960 |
| Glu Thr Thr Leu Trp Ser Ile Glu Trp Gly Leu Ala Glu Leu Val Asn | |
| 305 | |
| 310 | |
| 315 | |
| CAC CCG GAG ATC CAG CAG AAG CTG CGC GAG GAG ATC GTC GCC GTT CTG | 1008 |
| His Pro Glu Ile Gln Gln Lys Leu Arg Glu Glu Ile Val Ala Val Leu | |
| 325 | |
| 330 | |
| 335 | |
| GGC GCC GGC GTG CCG GTG ACG GAG CCG GAC CTG GAG CGC CTC CCC TAC | 1056 |
| Gly Ala Gly Val Ala Val Thr Glu Pro Asp Leu Glu Arg Leu Pro Tyr | |
| 340 | |
| 345 | |
| 350 | |
| CTG CAG TCC GTG GTG AAG GAG ACG CTC CGC CTC CGC ATG GCA ATC CCG | 1104 |
| Leu Gln Ser Val Val Lys Glu Thr Leu Arg Leu Arg Met Ala Ile Pro | |
| 355 | |
| 360 | |
| 365 | |
| CTC CTG GTG CCG CAC ATG AAC CTC AGC GAC GCC AAG CTC GCC GGC TAC | 1152 |
| Leu Leu Val Pro His Met Asn Leu Ser Asp Ala Lys Leu Ala Gly Tyr | |
| 370 | |
| 375 | |
| 380 | |
| GAC ATC CCC GCC GAG TCC AAG ATC CTC GTC AAC GCC TGG TTC CTC GCC | 1200 |
| Asp Ile Pro Ala Glu Ser Lys Ile Leu Val Asn Ala Trp Phe Leu Ala | |
| 385 | |
| 390 | |
| 395 | |
| 400 | |
| AAC GAC CCC AAG CGG TGG GTG CGC GCC GAT GAG TTC ACG CCG GAG AGG | 1248 |
| Asn Asp Pro Lys Arg Trp Val Arg Ala Asp Glu Phe Arg Pro Glu Arg | |
| 405 | |
| 410 | |
| 415 | |
| TTC CTC GAG GAG GAG AAG GCC GTC GAG GCC CAC GGC AAC GAT TTC CGG | 1296 |
| Phe Leu Glu Glu Glu Lys Ala Val Glu Ala His Gly Asn Asp Phe Arg | |
| 420 | |
| 425 | |
| 430 | |
| TTC GTG CCC TTC GGC GTC GGC CGC CGG AGC TGC CCC GGG ATC ATC CTC | 1344 |
| Phe Val Pro Phe Gly Val Gly Arg Arg Ser Cys Pro Gly Ile Ile Leu | |
| 435 | |
| 440 | |
| 445 | |

09713734.11500

| | |
|---|------|
| GCG CTG CCC ATC ATC GGC ATC ACG CTC GGA CGC CTG GTG CAG AAC TTC Ala Leu Pro Ile Ile Gly Ile Thr Leu Gly Arg Leu Val Gln Asn Phe 450 455 460 | 1392 |
| CAG CTG CTG CCG CCG CCG GGG CAG GAC AAG ATC GAC ACC ACC GAG AAG Gln Leu Leu Pro Pro Pro Gly Gln Asp Lys Ile Asp Thr Thr Glu Lys 465 470 475 | 1440 |
| CCC GGG CAG TTT ACC AAC CAG ATC CTC AAG CAC GCC ACC ATT GTC TGC Pro Gly Gln Phe Thr Asn Gln Ile Leu Lys His Ala Thr Ile Val Cys 485 490 495 | 1488 |
| AAG CCA CTC GAG GCT TAA Lys Pro Leu Glu Ala 500 | 1506 |

(2) INFORMATION FOR SEQ ID NO: 10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2181 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 112..1734

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

09713794.111500

| | | | | | | |
|---|------------|------------|------------|------------|------------|-----|
| CGATCCACCC | CTTGGATCCA | CTCTACCCAG | CTCGCTAGCC | AGCGGGGTAC | ATACACGCAC | 60 |
| GCACGTACGC | GCCTACGTAC | ACTCGCAGAG | CTTGCTTCAG | GGAGGCCCGC | A ATG GAG | 117 |
| | | | | | Met Glu | |
| | | | | | 1 | |
| GTG GGG ACG TGG GCG GTG GTG GTG TCG GCG GTG GCC GCG TAC ATG GCG | 165 | | | | | |
| Val Gly Thr Trp Ala Val Val Val Ser Ala Val Ala Ala Tyr Met Ala | | | | | | |
| 5 | 10 | 15 | | | | |
| TGG TTC TGG CCG ATG TCC CGC GGG CTG CGC GGG CCG CCG GTT TGG CCC | 213 | | | | | |
| Trp Phe Trp Arg Met Ser Arg Gly Leu Arg Gly Pro Arg Val Trp Pro | | | | | | |
| 20 | 25 | 30 | | | | |
| GTG CTC GGC AGC CTG CCG GGC CTG GTG CAG CAC GCC GAG GAC ATG CAC | 261 | | | | | |
| Val Leu Gly Ser Leu Pro Gly Leu Val Gln His Ala Glu Asp Met His | | | | | | |
| 35 | 40 | 45 | | | 50 | |
| GAG TGG ATC GCC GGC AAC CTG CGC CGC GCG GGC GGC ACG TAC CAG ACC | 309 | | | | | |
| Glu Trp Ile Ala Gly Asn Leu Arg Arg Ala Gly Gly Thr Tyr Gln Thr | | | | | | |
| 55 | 60 | 65 | | | | |
| TGC ATC TTC GCC GTG CCC GGG GTG GCG CGC CGC GGC GGC CTG GTC ACC | 357 | | | | | |
| Cys Ile Phe Ala Val Pro Gly Val Ala Arg Arg Gly Gly Leu Val Thr | | | | | | |
| 70 | 75 | 80 | | | | |
| GTC ACC TGC GAC CCG CGC AAC CTG GAG CAC GTC CTG AAG GCG CGC TTC | 405 | | | | | |
| Val Thr Cys Asp Pro Arg Asn Leu Glu His Val Leu Lys Ala Arg Phe | | | | | | |
| 85 | 90 | 95 | | | | |
| GAC AAC TAC CCC AAG GGC CCC TTC TGG CAC GGC GTC TTC CGG GAC CTG | 453 | | | | | |
| Asp Asn Tyr Pro Lys Gly Pro Phe Trp His Gly Val Phe Arg Asp Leu | | | | | | |
| 100 | 105 | 110 | | | | |

03713794-111503

| | |
|--|------|
| CTC GGC GAC GGC ATC TTC AAT TCC GAC GGC GAC ACC TGG CTC GCG CAG Leu Gly Asp Gly Ile Phe 120 Asn Ser Asp Gly 125 Thr Trp Leu Ala Gln 130 | 501 |
| CGC AAG ACG GCC GCG CTC GAG TTC ACC ACC CGC ACG CTC CGG ACG GCC Arg Lys Thr Ala Ala Leu Glu Phe Thr 135 Thr Arg Thr Leu Arg Thr Ala 145 | 549 |
| ATG TCC CGC TGG GTC TCG CGC TCC ATC CAC GGC CGC CTC CTG CCC ATC Met Ser Arg Trp Val Ser Arg Ser Ile His Gly Arg Leu Leu Pro Ile 150 155 160 | 597 |
| CTG GCC GAC GCG GCC AAG GGC AAG GCG CAG GTG GAT CTC CAG GAC CTC Leu Ala Asp Ala Ala Lys Gly Lys 165 170 Ala Gln Val Asp Leu Gln Asp Leu 175 | 645 |
| CTC CTC CGC CTC ACC TTC GAC AAC ATC TGC GGC CTG GCC TTC GGC AAG Leu Leu Arg Leu Thr Phe Asp Asn Ile Cys Gly Leu Ala Phe Gly Lys 180 185 190 | 693 |
| GAC CCG GAG ACG CTC GCC CAG GGC CTG CCG GAG AAC GAG TTC GCC TCC Asp Pro Glu Thr Leu Ala Gln Gly Leu Pro 195 200 205 Glu Asn Glu Phe Ala Ser 210 | 741 |
| GCG TTC GAC CGC GCC ACC GAG GCC ACG CTC AAC CGC TTC ATC TTC CCG Ala Phe Asp Arg Ala Thr Glu Ala Thr Leu Asn Arg Phe Ile Phe Pro 215 220 225 | 789 |
| GAG TTC CTG TGG CGC TGC AAA AAG TGG CTG GGC CTC GGC ATG GAG ACC Glu Phe Leu Trp Trp Arg Cys Lys Lys Trp Leu Gly Leu Gly Met Glu Thr 230 235 240 | 837 |
| ACG CTG ACC AGC AGC ATG GCC CAC CTC CAG CAC TAC CTC GCC GCC GTC Thr Leu Thr Ser Ser Met Ala His Val Asp Gln Tyr Leu Ala Ala Val 245 250 255 | 885 |
| ATC AAG AAG CGC AAG CTC GAG CTC GCC GCC GGC AAC GGC AAA TGC GAC Ile Lys Lys Arg Lys Leu Glu Leu Ala Ala Gly Asn Gly Lys Cys Asp 260 265 270 | 933 |
| ACG GCG GCG ACG CAC GAC GAC CTG CTC TCC CGG TTC ATG CGG AAG GGT Thr Ala Ala Thr His Asp Asp Leu Leu Ser Arg Phe Met Arg Lys Gly 275 280 285 290 | 981 |
| TCC TAC TCG GAC GAG TCG CTC CAG CAC GTG GCG CTC AAC TTC ATC CTC Ser Tyr Ser Asp Glu Ser Leu Gln His Val Ala Leu Asn Phe Ile Leu 295 300 305 | 1029 |
| GCC GGC CGC GAC ACC TCC TCC GTG GCG CTC TCC TGG TTC TTC TGG CTC Ala Gly Arg Asp Thr Ser Ser Val Ala Leu Ser Trp Phe Phe Trp Leu 310 315 320 | 1077 |
| GTG TCC ACC CAC CCT GCG GTG GAG CGC AAG ATC GTG CGC GAG CTC TGC Val Ser Thr His Pro Ala Val Glu Arg Lys Ile Val Arg Glu Leu Cys 325 330 335 | 1125 |
| TCC GTT CTC GCC GCG TCA CCG GGC GCC CAT GAC CCG GCA TTG TGG CTG Ser Val Leu Ala Ala Ser Arg Gly Ala His Asp Pro Ala Leu Trp Leu 340 345 350 | 1173 |
| GCG GAG CCC TTC ACC TTC GAG GAG CTC GAC CGC CTG GTC TAC CTC AAG Ala Glu Pro Phe Thr Phe Glu Glu Leu Asp Arg Leu Val Tyr Leu Lys 355 360 365 370 | 1221 |
| GCG GCG CTG TCG GAG ACC CTC CGC CTC TAC CCC TCC GTC CCC GAG GAC Ala Ala Leu Ser Glu Thr Leu Arg Leu Tyr Pro Ser Val Pro Glu Asp 375 380 385 | 1269 |

00713794-11500

| | |
|--|--|
| TCC AAG CAC GTC GTC GCG GAC GAC TAC CTC CCC GAC GGC ACC TTC GTG Ser Lys His Val Val Ala Asp Asp Tyr Leu Pro Asp Gly Thr Phe Val 390 395 400 | 1317 |
| CCG GCC GGG TCG TCG GTC ACC TAC TCC ATA TAC TCG GCG GGG CGC ATG Pro Ala Gly Ser Ser Val Thr Tyr Ser Ile Tyr Ser Ala Gly Arg Met 405 410 415 | 1365 |
| AAG GGG GTG TGG GGG GAG GAC TGC CTC GAG TTC CCG CCG GAG CGA TGG Lys Gly Val Trp Gly Glu Asp Cys Leu Glu Phe Arg Pro Glu Arg Trp 420 425 430 | 1413 |
| CTG TCG GCC GAC GGC ACC AAG TTC GAG CAG CAC GAC TCG TAC AAG TTC Leu Ser Ala Asp Gly Thr Lys Phe Glu Gln His Asp Ser Tyr Lys Phe 435 440 445 450 | 1461 |
| GTG GCG TTC AAC GCC GGG CCG AGG GTG TGC CTG GGC AAG GAC CTA GCC Val Ala Phe Asn Ala Gly Pro Arg Val Cys Leu Gly Lys Asp Leu Ala 455 460 465 | 1509 |
| TAC CTG CAG ATG AAG AAC ATC GCC GGG AGC GTG CTG CTC CCG CAC CGC Tyr Leu Gln Met Lys Asn Ile Ala Gly Ser Val Leu Leu Arg His Arg 470 475 480 | 1557 |
| CTG ACC GTG GCG CCG GGC CAC CGC GTG GAG CAG AAG ATG TCG CTC ACG Leu Thr Val Ala Pro Gly His Arg Val Glu Gln Lys Met Ser Leu Thr 485 490 495 | 1605 |
| CTC TTC ATG AAG GGC GGG CTA CGG ATG GAG GTA CGT CCG CGC GAC CTC Leu Phe Met Lys Gly Gly Leu Arg Met Glu Val Arg Pro Arg Asp Leu 500 505 510 | 1653 |
| GCC CCC GTC CTC GAC GAG CCC TGC GGC CTG GAC GCC GGC GCC ACC Ala Pro Val Leu Asp Glu Pro Cys Gly Leu Asp Ala Gly Ala Ala Thr 515 520 525 530 | 1701 |
| GCC GCC GCA GCA AGT GCC ACA GCG CCG TGC GCG TAGAAGACCT GGCACCGGCA Ala Ala Ala Ala Ser Ala Thr Ala Pro Cys Ala 535 540 | 1754 |
| CGCGCCATGC ATGATTGCTG CGTGCTAGCT GTTGAAGGGA CGCCGGACAT TGAATGTGTA GATAGGGCAG CAOTGCAAGA CCGTAAGTAA AATTGATGAT GGGTTTGGTG ACAACATTGA AGCCACTCCT TTCCAGAATT TACGACCCGG ATAGGAGAAA CAGGGAAACT TTGCAGATCA CAACACAAGA TCTAGCCAGC CGGGGATCTG ATCTGATTTG CGTCTGCTCG GAGCACGGGT GCATGGGAGA CCAAGGAGGA AAACAAAAAA TAACAGAAAC AGAGTGAGCA ATATTTGTGA TTGTAGCCAC GGGAAAGAGA GAGGAGTAAT TAGTAATTCA GATTTGTTTG CASTAGCTCG GTGTTGGTGA CCAGATCATA GCCAACTAGG CTATTCTATT CTATTCTATT TTGGAAGATG ATTTTTC | 1814 1874 1934 1994 2054 2114 2174 2181 |

09713794.111500

(2) INFORMATION FOR SEQ ID NO: 11:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 150 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other nucleic acid
 - (A) DESCRIPTION: /desc = "primer"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

ATATATGGAT CCATGGAGGT GGGGACGTGG GCGGTGGTG

39

(2) INFORMATION FOR SEQ ID NO: 12:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 150 base pairs
 - (B) TYPE: nucleotide
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: other nucleic acid
 - (A) DESCRIPTION: /desc = "primer"
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

ATATATGGAT CCATGGAAGT TGGTACTTGG GCTGTTGTTG TTCTGCTGT TGCTGCTTAT
 ATGGCTTGGT TTGGAGAAT GTCTAGAGGT TTGAGAGGTC CAAGAGTTTG GCCAGTTTGG
 GGTTCCTTGG CAGGCCTGGT GCAGCACGCC

60

120

150

(2) INFORMATION FOR SEQ ID NO: 13:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleotide

00713794-111500

- (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
 (ii) MOLECULE TYPE: other nucleic acid
 (A) DESCRIPTION: /desc = "reverse"
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

TATATAGAAT TCCTTCTACG CGCACGGCGC TGTGGCACTT GC

42

(2) INFORMATION FOR SEQ ID NO: 14:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1626 base pairs
 (B) TYPE: nucleotide
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
 (ii) MOLECULE TYPE: cDNA
 (ix) FEATURE:
 (A) NAME/KEY: CDS
 (B) LOCATION: 1..1623
 (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

| | |
|---|-----|
| ATG GAA GTT GGT ACT TGG GCT GTT GTT GTT TCT GCT GTT GCT GCT TAT | 48 |
| Met Glu Val Gly Thr Trp Ala Val Val Val Ser Ala Val Ala Ala Tyr | |
| 1 5 10 15 | |
| ATG GCT TGG TTT TGG AGA ATG TCT AGA GGT TTG AGA GGT CCA AGA GTT | 96 |
| Met Ala Trp Phe Trp Arg Met Ser Arg Gly Leu Arg Gly Pro Arg Val | |
| 20 25 30 | |
| TGG CCA GTT TTG GGT TCT TTG CCA GGC CTG GTG CAG CAC GCC GAG GAC | 144 |
| Trp Pro Val Leu Gly Ser Leu Pro Gly Leu Val Gln His Ala Glu Asp | |
| 35 40 45 | |

09713794-111500

| | |
|---|-----|
| ATG CAC GAG TGG ATC GCC GGC AAC CTG CGC GCG GGC GGC ACG TAC | 192 |
| Met His Glu Trp Ile Ala Gly Asn Leu Arg Arg Ala Gly Gly Thr Tyr | |
| 50 | |
| CAG ACC TGC ATC TTC GCC GTG CCC GGG GTG GCG CGC GGC GGC CTG | 240 |
| Gln Thr Cys Ile Phe Ala Val Pro Gly Val Ala Arg Arg Gly Gly Leu | |
| 65 70 75 | |
| GTC ACC GTC ACC TGC GAC CCG CGC AAC CTG GAG CAC GTC ATG AAG GCG | 288 |
| Val Thr Val Thr Cys Asp Pro Arg Asn Leu Glu His Val Leu Lys Ala | |
| 85 90 95 | |
| CGC TTC GAC AAC TAC CCC AAG GGC CCC TTC TGG CAC GGC GTC TTC CGG | 336 |
| Arg Phe Asp Asn Tyr Pro Lys Gly Pro Phe Trp His Gly Val Phe Arg | |
| 100 105 110 | |
| GAC CTG CTC GGC GAC GGC ATC TTC AAT TCC GAC GGC ACC TGG CTC | 384 |
| Asp Leu Leu Gly Asp Gly Ile Phe Asn Ser Asp Gly Asp Thr Trp Leu | |
| 115 120 125 | |
| GCG CAG CGC AAG ACG GCC GCG CTC GAG TTC ACC ACC CGC ACG CTC CGG | 432 |
| Ala Gln Arg Lys Thr Ala Ala Leu Glu Phe Thr Thr Arg Thr Leu Arg | |
| 130 135 140 | |
| ACG GCC ATG TCC CGC TGG GTC TCG CGC TCC ATC CAC GGC CGC CTC CTG | 480 |
| Thr Ala Met Ser Arg Trp Val Ser Arg Ser Ile His Gly Arg Leu Leu | |
| 145 150 155 | |
| CCC ATC CTG GCC GAC GCG GCC AAG GGC CAG GTG GAT CTC CAG | 528 |
| Pro Ile Leu Ala Asp Ala Ala Lys Gly Lys Ala Gln Val Asp Leu Gln | |
| 165 170 175 | |
| GAC CTC CTC CTC CGC CTC ACC TTC GAC AAC ATC TGC GGC CTG GCC TTC | 576 |
| Asp Leu Leu Leu Arg Leu Thr Phe Asp Asn Ile Cys Gly Leu Ala Phe | |
| 180 185 190 | |
| GCG AAG GAC CCG GAG ACG CTC GCC CAG GGC CTC GCG AAG GAG TTC | 624 |
| Gly Lys Asp Pro Glu Thr Leu Ala Gln Gly Leu Pro Glu Asn Glu Phe | |
| 195 200 205 | |
| GCC TCC GCG TTC GAC CGC GCC ACC GAG GCC ACG CTC AAC CGC TTC ATC | 672 |
| Ala Ser Ala Phe Asp Arg Ala Thr Glu Ala Thr Leu Asn Arg Phe Ile | |
| 210 215 220 | |
| TTC CCG GAG TTC CTG TGG CGC TGC AAA AAG TGG CTC GGC CTC GGC ATG | 720 |
| Phe Pro Glu Phe Leu Trp Arg Cys Lys Lys Trp Leu Gly Leu Gly Met | |
| 225 230 235 | |
| GAG ACC ACG CTC ACC AGC AGC ATG GCC CAC GTC GAC CAG TAC CTC GCC | 768 |
| Glu Thr Thr Leu Thr Ser Ser Met Ala His Val Asp Gln Tyr Leu Ala | |
| 245 250 255 | |
| GCC GTC ATC AAG AAG CGC AAG CTC GAG CTC GCC GCC GGC AAC GGC AAA | 816 |
| Ala Val Ile Lys Lys Arg Lys Leu Glu Ala Ala Gly Asn Gly Lys | |
| 260 265 270 | |
| TGC GAC ACG GCG GCG ACG CAC GAC GAC CTG CTC TCC CGG TTC ATG CGG | 864 |
| Cys Asp Thr Ala Ala Thr His Asp Asp Leu Leu Ser Arg Phe Met Arg | |
| 275 280 285 | |
| AAG GGT TCC TAC TCG GAC GAG TCG CTC CAG CAC GTG GCG CTC AAC TTC | 912 |
| Lys Gly Ser Tyr Ser Asp Glu Ser Leu Gln His Val Ala Leu Asn Phe | |
| 290 295 300 | |
| ATC CTC GCC GGC CGC GAC ACC TCC TCC GTC GCG CTC TCC TGG TTC TTC | 960 |
| Ile Leu Ala Gly Arg Asp Thr Ser Ser Val Ala Leu Ser Trp Phe Phe | |
| 305 310 315 | |

0073754111500

| | |
|---|------|
| TGG CTC GTG TCC ACC CAC CCG GCG GTG GAG CCG AAG ATC GTG CCG GAG | 1008 |
| Trp Leu Val Ser Thr His Pro Ala Val Glu Arg Lys Ile Val Arg Glu | |
| 325 330 | |
| CTC TGC TCC GTT CTC GCC GCG TCA CCG GGC GCC CAT GAC CCG GCA TTG | 1056 |
| Leu Cys Ser Val Leu Ala Ala Ser Arg Gly Ala His Asp Pro Ala Leu | |
| 340 345 350 | |
| TGG CTG GCG GAG CCC TTC ACC TTC GAG GAG GAG CTC GCG CTG GTC TAC | 1104 |
| Trp Leu Ala Glu Pro Phe Thr Phe Glu Glu Leu Asp Arg Leu Val Tyr | |
| 355 360 365 | |
| CTC AAG GCG GCG CTG TCG GAG ACC CTC GCG CTC TAC CCC TCC CTC GCC | 1152 |
| Leu Lys Ala Ala Leu Ser Glu Thr Leu Arg Leu Tyr Pro Ser Val Pro | |
| 370 375 380 | |
| GAG GAC TCC AAG CAC GTC GTC GCG GAC GAC TAC CTC CCC GAC GGC ACC | 1200 |
| Glu Asp Ser Lys His Val Val Ala Asp Asp Tyr Leu Pro Asp Gly Thr | |
| 385 390 395 400 | |
| TTC GTG CCG GCC GGG TCG TCG GTC ACC TAC TCC ATA TAC TCG GCG GGG | 1248 |
| Phe Val Pro Ala Gly Ser Ser Val Thr Tyr Ser Ile Tyr Ser Ala Gly | |
| 405 410 415 | |
| CGC ATG AAG GGG GTG TGG GGG GAG GAC TGC CTC GAG GAC TCC CCG CCG GAG | 1296 |
| Arg Met Lys Gly Val Trp Gly Glu Asp Cys Leu Glu Phe Arg Pro Glu | |
| 420 425 430 | |
| CGA TGG CTG TCG GCC GAC GGC ACC AAG TTC GAG CAG CAC GAC TCG TAC | 1344 |
| Arg Trp Leu Ser Ala Asp Gly Thr Lys Phe Glu Gln His Asp Ser Tyr | |
| 435 440 445 | |
| AAG TTC GTG GCG TTC AAC GCC GGG CCG AGG GTG TGC CTG GGC AAG GAC | 1392 |
| Lys Phe Val Ala Phe Asn Ala Gly Pro Arg Val Cys Leu Gly Lys Asp | |
| 450 455 460 | |
| CTA GCC TAC CTG CAG ATG AAG AAC ATC GCC GGG AGC GTG CTG CTC CCG | 1440 |
| Leu Ala Tyr Leu Gln Met Lys Asn Ile Ala Gly Ser Val Leu Leu Arg | |
| 465 470 475 480 | |
| CAC CCG CTG ACC GTG GCG CCC GGC CAC CCG CTG GAG CAG AAG ATG TCG | 1488 |
| His Arg Leu Thr Val Ala Pro Gly His Arg Val Glu Gln Lys Met Ser | |
| 485 490 495 | |
| CTC ACG CTC TTC ATG AAG GCG GGG CTA CCG ATG GAG GTA CGT CCG CCG | 1536 |
| Leu Thr Leu Phe Met Lys Gly Gly Leu Arg Met Glu Val Arg Pro Arg | |
| 500 505 510 | |
| GAC CTC GCC CCC GTC CTC GAC GAG CCC TGC GGC CTG GAC GCC GGC GCC | 1584 |
| Asp Leu Ala Pro Val Leu Asp Glu Pro Cys Gly Leu Asp Ala Gly Ala | |
| 515 520 525 | |
| GCC ACC GCC GCC GCA GCA AGT GCC ACA GCG CCG TGC GCG TAG | 1626 |
| Ala Thr Ala Ala Ala Ala Ser Ala Thr Ala Pro Cys Ala | |
| 530 535 540 | |

09713794.11500

CLAIMS

1. DNA sequence which encodes a protein of interest which contains regions having a high content of codons which are poorly suited to yeasts, characterized in that a sufficient number of codons which are poorly suited to yeasts is replaced with corresponding codons which are well-suited to yeasts in the said regions having a high content of codons which are poorly suited to yeasts.
2. Sequence according to claim 1, characterized in that the codons which are poorly suited to yeasts are selected from among codons whose frequency of use by yeasts is less than or equal to approximately 13 per 1000, preferably less than or equal to approximately 12 per 1000, more preferably less than or equal to approximately 10 per 1000.
3. Sequence according to claim 2, characterized in that the codons which are poorly suited to yeasts are selected from among codons CTC, CTG and CTT, which encode leucine, codons CGG, CGC, CGA, CGT and AGG, which encode arginine, codons GCG and GCC, which encode alanine, codons GGG, GGC and GGA, which encode glycine, and codons CCG and CCC, which encode proline.
4. Sequence according to claim 3, characterized in that the codons which are poorly suited to yeasts are selected from among codons CTC and CTG, which encode leucine, codons CGG, CGC, CGA, CGT

and AGG, which encode arginine, codons GCG and GCC, which encode alanine, codons GGG and GGC, which encode glycine, and codons CCG and CCC, which encode proline.

5 5. Sequence according to one of claims 1 to
6 4, characterized in that the corresponding codons which
7 are well-suited to yeasts are selected from among
8 codons which correspond to the codons which are poorly
9 suited to yeasts and which encode the same amino acids,
10 and whose frequency of use by yeasts is greater than 15
11 per 1000, preferably greater than or equal to 18 per
12 1000, more preferably greater than or equal to 20 per
13 1000.

14 6. Sequence according to claim 5,
15 characterized in that the corresponding codons which
16 are well-suited to yeasts are selected from among
17 codons TTG and TTA, preferably TTG, which encode
18 leucine, codon AGA, which encodes arginine, codons GCT
19 and GCA, preferably GCT, which encode alanine, codon
20 GGT, which encodes glycine, and codon CCA, which
21 encodes proline.

22 7. Sequence according to one of claims 1 to
23 7, characterized in that the regions having a high
24 content of codons which are poorly suited to yeasts
25 contain at least 2 poorly suited codons among 10
26 consecutive codons, with it being possible for the two
27 codons to be adjacent or separated by up to 8 other
28 codons.

29 8. Sequence according to claim 7,

00713754-11500

characterized in that the regions having a high content of poorly suited codons contain 2, 3, 4, 5 or 6 poorly suited codons per 10 consecutive codons, or contain at least 2 or 3 adjacent poorly suited codons.

- 5 9. DNA, in particular cDNA, sequence which encodes a protein of interest which contains regions having a high content of leucine, characterized in that a sufficient number of CTC codons encoding leucine in the said region having a high content of leucine is
10 replaced with TTG and/or TTA codons, or in that a sufficient number of CTC and CTG codons encoding leucine in the said region having a high content of leucine is replaced with TTG and/or TTA codons.

10. Sequence according to claim 9,
15 characterized in that the CTC or CTC and CTG codons are replaced with a TTG codon.

11. Sequence according to one of claims 9 or 10, characterized in that the regions having a high content of leucine contain 2, 3, 4, 5 or 6 leucines per
20 10 consecutive amino acids, or contain at least 2 or 3 adjacent leucines.

12. Sequence according to one of claims 1 to 11, characterized in that the general content of poorly suited codons is at least 20%, more preferably at least
25 30%, as compared with the total number of codons.

13. Sequence according to one of claims 1 to 12, characterized in that it contains at least one 5' region having a high content of codons which are poorly

09713791.1-11500

suited to yeasts.

14. Sequence according to claim 13, characterized in that the codons which are poorly suited to yeasts are replaced only in this 5' region.

5 15. Sequence according to one of claims 1 to 14, characterized in that it is an isolated DNA sequence of natural origin, in particular of plant origin.

16. Sequence according to claim 15, characterized in that it originates from dicotyledonous or monocotyledonous plants, in particular from monocotyledonous plants.

17. Sequence according to claim 16, characterized in that it originates from plants of the gramineae family, which are selected, in particular, from among wheat, barley, oats, rice, maize, sorghum and cane sugar.

18. Sequence according to one of claims 1 to 17, characterized in that it encodes an enzyme.

20 19. Sequence according to claim 18, characterized in that it encodes a cytochrome P450.

20. Sequence according to claim 19, characterized in that the sequence which contains regions having a high content of codons which are poorly suited to yeasts includes the coding region of the sequences ID No. 1 or ID No. 10.

21. Sequence according to claim 19, characterized in that it is one of the sequences ID

09713791.111500

No. 7, ID No. 8, ID No. 9 and ID No. 13.

22. Chimeric gene which contains a modified DNA sequence according to one of claims 1 to 21 and heterologous 5' and 3' regulatory elements which are able to function in a yeast.

23. Vector for transforming yeasts which contains at least one chimeric gene according to claim 22.

24. Process for transforming yeasts using a vector according to claim 23.

25. Transformed yeast for expressing a protein of interest, characterized in that it contains a chimeric gene according to claim 22.

26. Yeast according to claim 25, characterized in that it is selected from among the genera *Saccharomyces*, *Kluyveromyces*, *Hansenula*, *Pichia* and *Yarrowia*, advantageously from the genus *Saccharomyces*, in particular *S. cerevisiae*.

27. Process for producing a heterologous protein of interest in a transformed yeast, characterized in that it comprises the steps of:

a) transforming a yeast with a vector according to claim 23 which contains a modified DNA sequence according to one of claims 1 to 21 and heterologous 5' and 3' regulatory elements which are able to function in a yeast,

b) culturing the transformed yeast, and

c) extracting the protein of interest from

00511-462160

the yeast culture.

28. Process for transforming a substrate by enzymic catalysis using an enzyme which is expressed in a yeast, which process comprises the steps of

- 5 a) culturing, in the presence of the substrate to be transformed, the yeast which has been transformed with a vector according to claim 23 which contains a modified DNA sequence according to one of claims 1 to 21 and heterologous 5' and 3' regulatory
10 elements which are able to function in a yeast, and then
- b) recovering the transformed substrate from the yeast culture.

0973794.1160

THE RECODING OF DNA SEQUENCES TO ENABLE THEM TO BE
EXPRESSED IN YEASTS, AND THE TRANSFORMED YEASTS
OBTAINED

Abstract

09713794.11500

The present invention relates to a DNA sequence which encodes a protein of interest which contains regions having a high content of codons which are poorly suited to yeasts, characterized in that a sufficient number of codons which are poorly suited to yeasts is replaced with corresponding codons which are well-suited to yeasts in the said regions having a high content of codons which are poorly suited to yeasts.

The present invention relates, more specifically, to DNA sequences which originate from dicotyledonous or monocotyledonous plants, in particular plants of the gramineae family which are selected, in particular, from among wheat, barley, oats, rice, maize, sorghum and cane sugar.

The present invention also relates to transformed yeasts which contain a DNA sequence according to the invention.

**COMBINED DECLARATION
AND POWER OF ATTORNEY**

(Original, Design, National Stage of PCT, Divisional, Continuation or C-I-P Application)

As a below named inventor, I hereby declare that: WE, YANNICK BATARD, ET AL.

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

RECODING OF DNA SEQUENCES PERMITTING EXPRESSION IN YEAST AND OBTAINED TRANSFORMED YEAST this declaration is of the following type:

- ☒ original
- ☐ design
- ☐ national stage of PCT.
- ☐ divisional
- ☐ continuation
- ☐ continuation-in-part (C-I-P)

the specification of which: *(complete (a), (b), or (c))*

(a) ☐ is attached hereto.

(b) ☒ was filed on September 23, 1998 as Application Serial No. 09/158,767 and was amended on *(if applicable)*.

(c) ☐ was described and claimed in PCT International Application No. filed on and was amended on *(if applicable)*.

Acknowledgement of Review of Papers and Duty of Candor

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of the subject matter claimed in this application in accordance with Title 37, Code of Federal Regulations § 1.56.

☐ In compliance with this duty there is attached an information disclosure statement. 37 CFR 1.98.

Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International Application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International Application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application on which priority is claimed

(complete (d) or (e))

(d) ☐ no such applications have been filed.

(e) ☒ such applications have been filed as follows:

| PRIOR FOREIGN/PCT APPLICATION(S) FILED WITHIN 12 MONTHS (6 MONTHS FOR DESIGN) PRIOR TO SAID APPLICATION | | | |
|---|-----------------|--------------------------------------|---|
| COUNTRY | APPLICATION NO. | DATE OF FILING (day, month, year) | DATE OF ISSUE (day, month, year) |
| FRANCE | 97 12094 | 24-9-97 | |
| | | | |
| | | | |
| | | | PRIORITY CLAIMED UNDER 35 USC 119 <input checked="" type="checkbox"/> YES NO <input type="checkbox"/> |
| | | | <input type="checkbox"/> YES NO <input type="checkbox"/> |
| | | | <input type="checkbox"/> YES NO <input type="checkbox"/> |
| ALL FOREIGN APPLICATION(S), IF ANY, FILED MORE THAN 12 MONTHS (6 MONTHS FOR DESIGN) PRIOR TO SAID APPLICATION | | | |
| | | | <input type="checkbox"/> YES NO <input type="checkbox"/> |
| | | | <input type="checkbox"/> YES NO <input type="checkbox"/> |
| | | | <input type="checkbox"/> YES NO <input type="checkbox"/> |

Claim for Benefit of Prior U.S. Provisional Application(s)

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

| Provisional Application Number | Filing Date |
|--------------------------------|-------------|
| | |
| | |
| | |
| | |

Claim for Benefit of Earlier U.S./PCT Application(s) under 35 U.S.C. 120

(complete this part only if this is a divisional, continuation or C-I-P application)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior application(s) in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

| | | |
|--------------------------|---------------|---|
| (Application Serial No.) | (Filing Date) | (Status) (patented, pending, abandoned) |
| | | |
| (Application Serial No.) | (Filing Date) | (Status) (patented, pending, abandoned) |
| | | |

Power of Attorney

As a named inventor, I hereby appoint Dana M. Raymond, Reg. No. 18,540; Frederick C. Carver, Reg. No. 17,021; Francis J. Hone, Reg. No. 18,662; Joseph D. Garon, Reg. No. 20,420; Arthur S. Tenser, Reg. No. 18,839; Ronald B. Hildreth, Reg. No. 19,498; Thomas R. Nesbitt, Jr., Reg. No. 22,075; Robert Neuner, Reg. No. 24,316; Richard G. Berkley, Reg. No. 25,465; Richard S. Clark, Reg. No. 26,154; Bradley B. Geist, Reg. No. 27,551; James J. Maune, Reg. No. 26,946; John D. Murnane, Reg. No. 29,836; Henry Tang, Reg. No. 29,705; Robert C. Scheinfeld, Reg. No. 31,300; John A. Fogarty, Jr., Reg. No. 22,348; Louis S. Sorell, Reg. No. 32,439 and Rochelle K. Seide Reg. No. 32,300 of the firm of BAKER & BOTTS, L.L.P., with offices at 30 Rockefeller Plaza, New York, New York 10112, as attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith

| | |
|--|---|
| SEND CORRESPONDENCE TO: BAKER & BOTTS, L.L.P. 30 ROCKEFELLER PLAZA, NEW YORK, N.Y. 10112 CUSTOMER NUMBER: 21003 | DIRECT TELEPHONE CALLS TO: BAKER & BOTTS, L.L.P. (212) 705-5000 |
|--|---|

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section

001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

| | | | | |
|--|--|------------------------------------|----------------------------------|-------------------|
| FULL NAME OF SOLE OR FIRST INVENTOR | LAST NAME BATARD | FIRST NAME YANNICK | MIDDLE NAME | |
| RESIDENCE & CITIZENSHIP | CITY STRASBOURG | STATE or FOREIGN COUNTRY FRANCE | COUNTRY OF CITIZENSHIP FRANCE | |
| POST OFFICE ADDRESS | POST OFFICE ADDRESS 5, Rue de l'Aimant | CITY STRASBOURG | STATE or COUNTRY FRANCE | ZIP CODE 67000 |
| DATE 13/01/98 | SIGNATURE OF INVENTOR <i>Yannick Batard</i> | | | |
| FULL NAME OF SECOND JOINT INVENTOR, IF ANY | LAST NAME DURST | FIRST NAME FRANCIS | MIDDLE NAME | |
| RESIDENCE & CITIZENSHIP | CITY BERNOLSHEIM | STATE or FOREIGN COUNTRY FRANCE | COUNTRY OF CITIZENSHIP FRANCE | |
| POST OFFICE ADDRESS | POST OFFICE ADDRESS 7, Rue de l'Ancienne Ecole | CITY BERNOLSHEIM | STATE or COUNTRY FRANCE | ZIP CODE 67170 |
| DATE 01/20/99 | SIGNATURE OF INVENTOR <i>Francis Durst</i> | | | |
| FULL NAME OF THIRD JOINT INVENTOR, IF ANY | LAST NAME SCHALK | FIRST NAME MICHEL | MIDDLE NAME | |
| RESIDENCE & CITIZENSHIP | CITY HUTTEHEIM | STATE or FOREIGN COUNTRY FRANCE | COUNTRY OF CITIZENSHIP FRANCE | |
| POST OFFICE ADDRESS | POST OFFICE ADDRESS 2, Rue de l'Ungersberg | CITY HUTTEHEIM | STATE or COUNTRY FRANCE | ZIP CODE 67230 |
| DATE 12-02-99 | SIGNATURE OF INVENTOR <i>Michel Schalk</i> | | | |
| FULL NAME OF FOURTH JOINT INVENTOR, IF ANY | LAST NAME WERCK-REICHHART | FIRST NAME DANIELE | MIDDLE NAME | |
| RESIDENCE & CITIZENSHIP | CITY DINGSHEIM | STATE or FOREIGN COUNTRY FRANCE | COUNTRY OF CITIZENSHIP FRANCE | |
| POST OFFICE ADDRESS | POST OFFICE ADDRESS 3, Rue de Bagdad | CITY DUNGSHEIM | STATE or COUNTRY FRANCE | ZIP CODE 67370 |
| DATE 01/22/99 | SIGNATURE OF INVENTOR <i>Danielle Werck-Reichhart</i> | | | |
| FULL NAME OF FIFTH JOINT INVENTOR, IF ANY | LAST NAME | FIRST NAME | MIDDLE NAME | |
| RESIDENCE & CITIZENSHIP | CITY | STATE or FOREIGN COUNTRY | COUNTRY OF CITIZENSHIP | |
| POST OFFICE ADDRESS | POST OFFICE ADDRESS | CITY | STATE or COUNTRY | ZIP CODE |
| DATE | SIGNATURE OF INVENTOR | | | |
| FULL NAME OF SIXTH JOINT INVENTOR, IF ANY | LAST NAME | FIRST NAME | MIDDLE NAME | |
| RESIDENCE & CITIZENSHIP | CITY | STATE or FOREIGN COUNTRY | COUNTRY OF CITIZENSHIP | |
| POST OFFICE ADDRESS | POST OFFICE ADDRESS | CITY | STATE or COUNTRY | ZIP CODE |
| DATE | SIGNATURE OF INVENTOR | | | |

SEQUENCE LISTING

<110> Batard, Yannick

Durst, Francis

Schalk, Michel

Werck-Reichhart, Daniele

<120> RECODING OF DNA SEQUENCES PERMITTING

EXPRESSION IN YEAST AND OBTAINED TRANSFORMED YEAST

<130> A32000

<140> 09/158,767

<141> 1998-09-23

<150> FR 97-12094

<151> 1997-09-24

<160> 20

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 2261

<212> DNA

<213> Triticum aestivum

<400> 1

| | | | | | | |
|-------------|------------|------------|-------------|------------|-------------|-----|
| cgcgagcagcg | caacacatac | acaggagcca | cacaccgcac | ctaccccgat | ggacgtcctc | 60 |
| ctcctggaga | aggccctcct | gggacctctc | gccgcggcgg | tgctggccat | cgccgtcggc | 120 |
| aagctcaccg | gcaagcgctt | ccgcctcccc | ctggccccct | ccggcgcccc | catcgtcggc | 180 |
| aactggctgc | aggtcggcga | cgacctcaac | cacgcgaacc | tgatgggcct | ggccaagcgg | 240 |
| ttcggcgagg | tgttcctcct | ccgcatgggc | gtccgcgaacc | tggtggtcgt | ctccagcccc | 300 |
| gagctcgcca | aggaggtcct | ccacaccag | ggcgctcgagt | tcggctcccc | cacccgcaac | 360 |
| gtcgtcttcc | acatcttcac | cgccaaggga | caggacatgg | tggtcacggg | gtacggcgac | 420 |
| cactggcgca | agatcgggcg | gatcatgacg | gtgcccttct | tcaccaacaa | gggtggtggcg | 480 |
| cagaaccgcg | tgggtgggga | ggaggaggcc | cggtctggtg | tgaggagcct | caaggccgac | 540 |
| ccggcgggcg | cgacggcggg | cgtgggtggc | cgccgcaggc | tgagctcat | gatgtacaac | 600 |
| gacatgttcc | gcatcatgtt | cgaccgcggg | ttcgagagcg | tgcccgaccc | gctcttcaac | 660 |
| cagctcaagg | cgctcaacgc | cgagcgcagc | atcctctccc | agagcttcga | ctacaactac | 720 |
| ggcgacttca | tccccgtcct | ccgccctctc | ctccgcgcgt | acctcaaccg | ctgcaccaac | 780 |
| ctcaagacca | agcggatgaa | ggtgttcgag | gaccacttcg | tccagcagcg | caaggaggcg | 840 |
| ttggagaaga | cgggtgagat | caggtgcgcc | atggaccaca | tcctggaagc | cgaaaggaag | 900 |

005111 16/01/90 11:50

| | | | | | | |
|-------------|-------------|-------------|-------------|-------------|------------|------|
| ggcgagatca | accacgacaa | cgctcctctac | atcgctcgaga | acatcaacgt | cgcagccatc | 960 |
| gagacgagcg | tggtggtcgat | cgagatggggc | ctcgcgaggc | tggtgaacca | ccgggagatc | 1020 |
| cagcagaagc | tgcgcgagga | gatcgctcgcc | gttctggggcg | ccggcgctggc | ggtgacggag | 1080 |
| ccgggacctgg | agcgccctccc | ctacctgcag | tccgtggtga | aggagacgct | ccgcctccgc | 1140 |
| atggcaatcc | cgctcctggt | gccgcacatg | aacctcagcg | acgccaagct | cgcgcggtac | 1200 |
| gacatccccc | ccgagtgcaa | gatcctcgtc | aacgcctggt | tctctgccaa | cgaccccaag | 1260 |
| cggtgggtgc | gcgcccagta | gttcaggccg | gagagggtcc | tcgaggagga | gaaggccgtc | 1320 |
| gaggccacg | gcaacgattt | ccggttcgtg | cccttcggcg | tcggccgccc | gagctgcccc | 1380 |
| gggatcatcc | tcgcgctgcc | catcatcgcc | atcacgctcg | gacgcctggt | gcagaacttc | 1440 |
| cagctgctgc | cgccgcccgg | gcaggacaa | atcgacacca | ccgagaagcc | cgggcagttt | 1500 |
| accaaccaga | tcctcaagca | cgccaccatt | gtctgcaagc | cactcgaggc | ttactgaat | 1560 |
| tgaggtttcg | gtcatgggcg | cccgcgtgac | cggggagatg | gatctatgca | tgtgactgtg | 1620 |
| tattttgcct | tctttctttt | tggtgtgtgt | ttttgcagta | gtaagtttaa | ttttcttttg | 1680 |
| gtgttgccct | atttgtcttc | atgtgaggcg | tcgtgttgta | aatttccata | tagttggcaa | 1740 |
| tgatgatgaa | aacttggtcc | caaaaaaaaa | aaaaaaaaac | tcgagactct | tctctctctc | 1800 |
| tctctctctc | cagcctcggg | tctctgctgg | caagggaact | tgcattaccc | tgtgtacgac | 1860 |
| ggcgccatgt | tcgtccctga | agcaccctcc | ctgcagagct | cccaggacaa | cttcgctgca | 1920 |
| ctgtcggtgt | tcaagcgctg | aaggagagag | ttttgaatac | ccgaaagaat | atagcgttgg | 1980 |
| agatatctgt | caaacagggg | atcttgctgt | gggtctcttg | gtgggccaaa | tcgcatagac | 2040 |
| aatcattcaa | atggatgggt | tcttcgctgg | tcggtcaaaa | agtatatggt | gtaattgtac | 2100 |
| gccttttttg | ggtcttggtg | ccaaagatca | tggttattga | gttgtagact | ctgagataac | 2160 |
| aggtttgtgt | atagtgaat | aaagaggagc | gtcgtcaaca | ccatgtacta | tataggcttt | 2220 |
| gaaattccat | taagatgcat | cagaaatcaa | tgttggattt | g | | 2261 |

<210> 2
 <211> 38
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic primer

| | |
|------------|--------------------------------|
| <400> 2 | |
| atatatggat | ccatggacgt cctcctcctg gagaaggc |
| | 38 |

<210> 3
 <211> 56
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic primer

| | |
|------------|---|
| <400> 3 | |
| atatatggat | ccatggatgt tttgtgttg gagaaggccc tctgggacct ctgcgc |
| | 56 |

<210> 4
<211> 71
<212> DNA
<213> Triticum aestivum

<220>
<223> Synthetic primer

<400> 4
atatatggat ccatggatgt tttgttgttg gaaaaagctt tgttggggtt gttcgcgcgcg 60
gcggtgctgg c 71

<210> 5
<211> 143
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic primer

<400> 5
atatatggat ccatggatgt tttgttgttg gaaaaagctt tgttggggtt gtttgcctgct 60
gctgttttgg ctattgctgt tgctaaattg actggtaaaa gatttagatt gccaccaggt 120
ccatccggcg ccccatcgt cgg 143

<210> 6
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic primer

<400> 6
tatatagaat tccagttaag cctcgagtgg cttgcagac 39

<210> 7
<211> 1506
<212> DNA
<213> Artificial Sequence

<220>
<223> Altered sequences

<400> 7

| | | | | | | |
|-------------|-------------|------------|------------|------------|-------------|------|
| atggatgttt | tgttgttga | gaaggccctc | ctgggcctct | tcgcgcgggc | ggtgctggcc | 60 |
| atcgccgtcg | ccaagctcac | cggcaagcgc | ttccgcctcc | cccttgccc | ctccggcgcc | 120 |
| cccatcgctcg | gcaactggct | gcaggtcggc | gacgacctca | accaccgcaa | cctgatgggc | 180 |
| ctggccaagc | ggttcggcga | ggtgttcctc | ctccgcgatg | gcgtccgcaa | cctggtggtc | 240 |
| gtctccagcc | ccgagctcgc | caaggaggte | ctccacaccc | agggcgctga | gttcggctcc | 300 |
| cgcaccgcga | acgtcgtctt | cgacatcttc | accggcaagg | gacaggacat | ggtgttcacg | 360 |
| gtgtacggcg | accactggcg | caagatgcgg | cggatcatga | cggtgccctt | cttcaccaac | 420 |
| aaggtggtgg | cgcagaaccg | cgtgggggtg | gaggaggagg | cccggtcggt | ggtggaggac | 480 |
| ctcaaggccg | acccggcggc | ggcgacggcg | ggcgtgggtg | tccgcgcgag | gctgcagctc | 540 |
| atgagtacac | acgacatggt | ccgcatcatg | ttcgaccgcc | ggttcgagag | cgtggccgac | 600 |
| ccgctcttca | accagctcaa | ggcgctcaac | gccgagcgca | gcactcctct | ccagagcttc | 660 |
| gactacaact | acggcgactt | catccccgtc | ctccgccctc | tctccgcgcg | ctacctcaac | 720 |
| cgtctgacca | acctcaagac | caagcgggat | aaggtgttcg | aggaccactt | cgtccagcag | 780 |
| cgcaggaagg | cgttggagaa | gacgggtgag | atcaggtgcg | ccatggacca | catcctggaa | 840 |
| gccgaaggga | agggcgagat | caaccacgac | aacgtctctc | acatcgtcga | gaacatcaac | 900 |
| gtcgcagcca | tgcagacgac | gctgttgtcg | atcagtggtg | gcctcgcgga | gctggtgaac | 960 |
| caaccggaga | tccagcagaa | gctgcgcgag | gagatcgctg | ccgttctggg | cgccggcgctg | 1020 |
| gcggtgacgg | agccggacct | ggagcgctcc | ccctacctgc | agtcctgttg | gaaggagacg | 1080 |
| ctccgcctcc | gcattggcaat | cccgctcctg | gtgcgcgaca | tgaacctcag | cgacgccaaag | 1140 |
| ctcgccggct | acgacatccc | cgcgcgagtc | aagatcctcg | tcaacgcctg | gttctctgcc | 1200 |
| acgaccccc | agcgggtggg | gcgcgcgat | gagttcaggc | cggagagggt | cctcgaggag | 1260 |
| gcgaaggcgg | tcgagggcca | cggcaacgat | ttccggttcg | tgcctctcgg | cgtcggccgc | 1320 |
| cggagctgcc | ccgggatcat | cctcgcgctg | cccattcatg | gcattcacgt | cggacgcctg | 1380 |
| gtgcagaact | tcagctgctt | gccgcgcgcg | gggcaggaca | agatcgacac | caccgagaag | 1440 |
| ctccggcagc | ttaccaacca | gatcctcaag | cacgccacca | ttgtctgcaa | gccactcgag | 1500 |
| gctttaa | | | | | | 1506 |

<210> 8

<211> 1506

<212> DNA

<213> Artificial Sequence

<220>

<223> Altered sequences

<400> 8

| | | | | | | |
|-------------|------------|------------|------------|------------|------------|-----|
| atggatgttt | tgttgttga | aaaagctttg | ttgggtttgt | tcgcgcgggc | ggtgctggcc | 60 |
| atcgccgtcg | ccaagctcac | cggcaagcgc | ttccgcctcc | cccttgccc | ctccggcgcc | 120 |
| cccatcgctcg | gcaactggct | gcaggtcggc | gacgacctca | accaccgcaa | cctgatgggc | 180 |
| ctggccaagc | ggttcggcga | ggtgttcctc | ctccgcgatg | gcgtccgcaa | cctggtggtc | 240 |
| gtctccagcc | ccgagctcgc | caaggaggte | ctccacaccc | agggcgctga | gttcggctcc | 300 |
| cgcaccgcga | acgtcgtctt | cgacatcttc | accggcaagg | gacaggacat | ggtgttcacg | 360 |
| gtgtacggcg | accactggcg | caagatgcgg | cggatcatga | cggtgccctt | cttcaccaac | 420 |
| aaggtggtgg | cgcagaaccg | cgtgggggtg | gaggaggagg | cccggtcggt | ggtggaggac | 480 |
| ctcaaggccg | acccggcggc | ggcgacggcg | ggcgtgggtg | tccgcgcgag | gctgcagctc | 540 |

| | | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|------|
| atgatgtaca | acgacatggt | cgcgcatcatg | ttcgaccgccc | gggttcgagag | cgtgggcccag | 600 |
| ccgctcttca | accagctcaa | ggcgctcaac | gcccagcgcca | gcacctcttc | ccagagcttc | 660 |
| gactacaact | acggcgactt | catccccgtc | ctccgcccct | tcctccgccc | ctacctcaac | 720 |
| cgctgcacca | acctcaagac | caagcggatg | aaggtgttcg | aggaccactt | cgtccagcag | 780 |
| cgcgaaggagg | cgttggagaa | gacgggtgag | atcaggtgcg | ccatggacca | catcctggaa | 840 |
| gcccgaaggga | agggcgagat | caaccacgac | aacgtcctct | acatcgctga | gaacatcaac | 900 |
| gtcgcgacca | tcgagacgac | gctgtggtcg | atcaggtggg | gcctcgcgga | gctggtgaac | 960 |
| caccgcggaga | tcacgacagaa | gctgcgcgag | gagatcgctg | ccgttctggg | cgccggcgctg | 1020 |
| gcggtgacgg | agccggacct | ggagcgcttc | ccctacctgc | agtcctgtgt | gaaggagacg | 1080 |
| ctccgccttc | gcatggcaat | ccgctcctg | gtgcgcgaca | tgaacctcag | cgacgccaag | 1140 |
| ctcgccggct | acgacatccc | cgcgcgagtc | aagatcctcg | tcaacgcctg | gttctctgcc | 1200 |
| aacgacccca | agcgtgtgggt | gcgcgcgcat | gagttcaggc | cggagagggt | cctcgaggag | 1260 |
| gagaaggccg | tcgaggccca | cggcaacgat | ttccggttcg | tgcccttcgg | cgctggccgcg | 1320 |
| cggagctgcc | cgggagcat | cctcgcgctg | cccatcctcg | cgatccactg | cggacgctcg | 1380 |
| gtgcagaact | tcacgctgct | gcccgcgcgg | gggcaggaca | agatcgacac | caccgagaag | 1440 |
| cccgggcagt | ttaccaacca | gatcctcaag | cacgccacca | ttgtctgcaa | gccactcgag | 1500 |
| ggttaa | | | | | | 1506 |

<210> 9

<211> 1506

<212> DNA

<213> Artificial Sequence

<220>

<223> Altered sequences

<400> 9

| | | | | | | |
|-------------|-------------|------------|-------------|-------------|-------------|------|
| atggagtttt | tgttgttgga | aaaagctttg | ttgggtttgt | ttgctgctgc | tggttttggt | 60 |
| attgctgttg | ctaaattgac | tggtaaaaga | tttagattgc | caccaggctcc | atccggcgcc | 120 |
| ccatctctgc | gcaactggct | gcaggtcggc | gacgacctca | accaccgcaa | cctgatgggc | 180 |
| ctggccaagc | ggttcggcga | ggtgttcttc | ctccgcatgg | gcgtccgcaa | cctggttggtc | 240 |
| gtctccagcc | ccgagctcgc | caaggaggtc | ctccacaccc | agggcgctga | gttcggctcc | 300 |
| cgcaccccgca | acgtcgtctt | cgacatcttc | accggcaagg | gacaggacat | gggtgttcacg | 360 |
| gtgtacggcg | accactggcc | caagatgcgc | cggatcatga | cggtgccctt | cttcaccaac | 420 |
| aaggtggttg | cgcagaaccg | cgtgggtgtg | gaggaggagg | cccggctggt | ggtggaggac | 480 |
| ctcaaggccg | accggcgccg | ggcgacggcg | ggcggtgttg | tcgcgccgag | gctgcagctc | 540 |
| atgatgtaca | acgacatggt | ccgcatcatg | ttcgaccgccc | gggttcgagag | cgtggccgac | 600 |
| ccgctcttca | accagctcaa | ggcgctcaac | gcccagcgcca | gcacctcttc | ccagagcttc | 660 |
| gactacaact | acggcgactt | catccccgtc | ctccgcccct | tcctccgccc | ctacctcaac | 720 |
| cgctgcacca | acctcaagac | caagcggatg | aaggtgttcg | aggaccactt | cgtccagcag | 780 |
| cgcaaggagg | cgttggagaa | gacgggtgag | atcaggtgcg | ccatggacca | catcctggaa | 840 |
| gcccgaaggga | agggcgagat | caaccacgac | aacgtcctct | acatcgctga | gaacatcaac | 900 |
| gtcgcgacca | tcgagacgac | gctgtggtcg | atcaggtggg | gcctcgcgga | gctggtgaac | 960 |
| caccgcggaga | tcacgacagaa | gctgcgcgag | gagatcgctg | ccgttctggg | cgccggcgctg | 1020 |
| gcggtgacgg | agccggacct | ggagcgcttc | ccctacctgc | agtcctgtgt | gaaggagacg | 1080 |

| | | | | | | |
|------------|------------|------------|------------|------------|------------|------|
| ctccgcctcc | gcatggcaat | cccgcctctg | gtgcgcgaca | tgaacctcag | cgacgccaag | 1140 |
| ctcgccgggt | acgacatccc | cgccgagtc | aagatcctcg | tcaacgcctg | gttctctgcc | 1200 |
| aacgacccca | agcgggtggg | gcgcgcgat | gagttcaggc | cggagagggt | cctcgaggag | 1260 |
| gagaaggcgg | tcgaggccca | cggcaacgat | ttccggttcg | tgcccttcgg | cgtcgccggc | 1320 |
| cggagctgcc | cggggatcat | cctcgcgctg | cccatcatcg | gcatacgcct | cggacgcctg | 1380 |
| gtgcagaact | tccagctgct | gcgcgcggcg | gggcaggaca | agatcgacac | caccgagaag | 1440 |
| cccgggcagt | ttaccaacca | gatcctcaag | cacgccacca | ttgtctgcaa | gccactcgag | 1500 |
| gcttaa | | | | | | 1506 |

<210> 10

<211> 2181

<212> DNA

<213> Triticum aestivum

<400> 10

| | | | | | | |
|------------|------------|------------|-------------|-------------|-------------|------|
| cgatccacc | cttggatcca | ctctaccag | ctcgctagcc | agcgggggtac | atacacgcac | 60 |
| gcacgtacgc | gcgtacgtac | actcgcagag | cttgcctcag | ggaggccggc | aatggagggtg | 120 |
| gggacgtggg | cgggtggtgg | gtcggcgggt | gccgcgtaca | tggcgtggtt | ctggcgggatg | 180 |
| ttccgcgggc | tgccgcgggc | gcgggtttgg | cccgctgctg | gcagcctgcc | gggcctgggtg | 240 |
| cgacgcggcg | aggacatgca | cgagtggatc | gccggcaacc | tgccgcgcgc | gggcggcacg | 300 |
| taccagacct | gcatcttcgc | cgtgccgggg | gtggcgcgcc | cggcgggcct | ggtcaccgtc | 360 |
| actgcgacc | cgcgcaacct | ggagcacgtc | ctgaaggcgc | gcttcgacaa | ctaccccaag | 420 |
| ggccctctct | ggcaacggcg | cttcggggac | ctgctcgggg | acggcatctt | caattccgac | 480 |
| ggcgacacct | ggctcgcgca | gcgcaagagc | gcgcgcctcg | agttcaccac | cgcgacgctc | 540 |
| tcggagcgca | tgtcccgctg | ggctctcgcg | tccatccacg | gcgcctcctt | gcccactctg | 600 |
| gcccagcggg | ccaaggggca | ggcgaggtg | gatctccagg | acctcctcct | cgcctcacc | 660 |
| ttcgacaaca | tctgcggcct | ggccttcggc | aaggaccggg | agacgctcgc | ccaggggcctg | 720 |
| cgggagaacg | agttcgcttc | cgcgttcgac | cgcgccaccg | agggccacgt | caaccgcttc | 780 |
| atcttcgccg | agttcctggt | gcgctggcaa | aagtggctgg | gcctcggcat | ggagaccacg | 840 |
| ctgaccagca | gcatggccca | cgtcgaccag | tacctcgccg | ccgtcatcaa | gaagcgcaag | 900 |
| ctcgagctcg | cgcgcggcaa | cggcaaatgc | gacacggcgg | cgacgcacga | cgacctgtct | 960 |
| ttccgggtta | tgccgaaggg | ttcctaactg | gacgagtcgc | tccagcacgt | ggcgctcaac | 1020 |
| ttcatctcgc | cgcgcgcgga | caacctctcc | gtggcgctct | cctgggtctt | ctggctcgtg | 1080 |
| ttcccccacc | ctgcggtgga | gcgcaagatc | gtgcgcgagc | tctgctccgt | tctcgcccg | 1140 |
| tcacggggcg | cccatgacct | ggcatctgtg | ctggcgggagc | ccttcacctt | cgaggagctc | 1200 |
| gaccgcctgg | tctacctcaa | ggcggcgctg | tcggagaccc | tcgcctcta | cccctccgtc | 1260 |
| cccgaggact | caaagcacgt | cgtcgcggag | gactacctcc | ccgacggcac | cttcgtgcgc | 1320 |
| gcggggtcgt | cggtaaccta | ctccatatac | tcggcggggc | gcatgaaggg | gggtgtggggg | 1380 |
| gaggactgcc | tcgagttccg | gcgggagcga | tggctgtcgg | ccgacggcac | caagttcgag | 1440 |
| cagcacgact | cgtacaagtt | cgtggcgctt | aacgcggggc | caggggtgtg | cctggggcaag | 1500 |
| gacctagcct | acctgcagat | gaagaacatc | gcggggagcg | tgtctgctcg | gcaccgcctg | 1560 |
| accgtggcgc | cgggcccacc | cgtggagcag | aagatgtcgc | tcacgctctt | catgaagggc | 1620 |
| gggctacgga | tggaggtacg | tcgcgcgcac | ctgcgccccg | tcttcgacga | gccctcgggc | 1680 |
| ctggacggcg | gcgcgcgca | cgcgcgcgca | gcaagtgcga | cagcgcgctg | cgcgtagaag | 1740 |
| acctggcacc | ggcacgcgcg | atgcatgatt | cgtgcgtgct | agctgttgaa | gggacgcggg | 1800 |

| | | | | | | |
|------------|------------|------------|------------|------------|------------|------|
| acattgaatg | tgtagatagg | gcagcagtgc | aagaccgtaa | gtaaaattga | tgatggggtt | 1860 |
| ggtgacaaca | ttgaagccac | tcctttccag | aatttacgac | ccggatagga | gaaacaggga | 1920 |
| aactttgcag | atcacaacac | aagatctagc | cagccgggga | tctgatctga | tttgcgtctg | 1980 |
| ctcggagcac | gggtgcatgg | gagaccaagg | aggaaaaaca | aaaataacag | aaacagagtg | 2040 |
| agcaatattt | gtgattgtag | ccacgggaaa | gagagaggag | taattagtaa | ttcagatttg | 2100 |
| tttgcagtag | ctcgggtgtg | gtgaccagat | catagccaac | taggctattc | tattctattc | 2160 |
| tatttttgaa | gatgattttt | c | | | | 2181 |

<210> 11
 <211> 39
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic primer

<400> 11

| | | | | |
|------------|-------------|------------|------------|----|
| atatatggat | ccatggagggt | ggggacgtgg | gcggtgggtg | 39 |
|------------|-------------|------------|------------|----|

<210> 12
 <211> 150
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic primer

<400> 12

| | | | | | | |
|------------|-------------|-------------|------------|------------|------------|-----|
| atatatggat | ccatggaagt | tggtacttgg | gctgttgttg | tttctgctgt | tgetgcttat | 60 |
| atggccttgg | tttggaagaat | gtctagagggt | ttgagaggtc | caagagtttg | gccagttttg | 120 |
| ggttctttgc | caggccttgg | gcagcacgcc | | | | 150 |

<210> 13
 <211> 42
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic primer

<400> 13

| | | | | | |
|------------|------------|------------|------------|----|----|
| tatatagaat | tccttctacg | cgcacggcgc | tgtggcactt | gc | 42 |
|------------|------------|------------|------------|----|----|

<210> 14
 <211> 1626

<212> DNA
<213> Artificial Sequence

<220>
<223> Altered sequences

<400> 14

| | | | | | | |
|-------------|------------|------------|------------|------------|------------|------|
| atggaagtgtg | gtacttgggc | tgttgttgtt | tctgtgtgtg | ctgcttatat | ggcttggttt | 60 |
| tggagaatgt | ctagaggttt | gagaggtcca | agagtttggc | cagttttggg | ttctttgcca | 120 |
| ggcctgtgtc | agcacgccga | ggacatgcac | gagtggatcg | ccggcaacct | gcgcgcgcgc | 180 |
| ggcggcagct | accagacctg | catcttcgcc | gtgcccgggg | tggcgcgcgc | cggcggcctg | 240 |
| gtcaccgtca | cctgcgaccc | gcgcaacctg | gagcacgtcc | tgaaggcgcg | cttcgacaac | 300 |
| tacccaagg | gccccttctg | gcacggcgtc | ttccgggacc | tgtctggcga | cggcatcttc | 360 |
| aattccgacg | gcgacacctg | gctcgcgcag | cgcaagacgg | ccgcgcctga | gttcaccacc | 420 |
| cgcacgtccc | ggacggccat | gtcccgctgg | gtctcgcgct | ccatccacgg | ccgcctcctg | 480 |
| cccatcctgg | ccgacgcggc | caagggcaag | gcgcaggtgg | atctccagga | cctcctcctc | 540 |
| cgcctcaacct | tcgacaacat | ctgcggcctg | gccttcggca | aggaccggga | gacgctcgcc | 600 |
| cagggcctgc | cggagaacga | gttcgcctcc | gcgttcgacc | gcgccaccga | ggccacgctc | 660 |
| aaccgcttca | tcttcccgga | gttcctgtgg | cgctgcaaaa | agtggctggg | cctcggcatg | 720 |
| gagaccacga | tgaccagcag | catggcccac | gtcgaccagt | acctgcgcgc | cgtcatcaag | 780 |
| aagcgcaagc | tcgagctcgc | cgcgggcaac | ggcaaatgcg | acacggcggc | gacgcacgac | 840 |
| gacctgtctc | cccggttcat | gcggaagggt | tcctactcgc | acgagtcgct | ccagcacgtg | 900 |
| ggcctcaact | tcactcctgc | cggccgcgac | acctcctccg | tggcgctctc | ctgggtcttc | 960 |
| tggctcgtgt | ccaccacccc | tgcggtggag | cgcaagatcg | tgcgcgagct | ctgctcogtt | 1020 |
| ctgcgcgcgt | cacggggcgc | ccatgacccc | gcattgtggc | tggcggagcc | cttcaccttc | 1080 |
| gaggagctcg | accgcctggt | ctacctcaag | gcggcgctgt | cggagaccct | ccgcctctac | 1140 |
| ctctccgtcc | ccgaggactc | caagcacgtc | gtcgcggacg | actacctccc | cgacggcacc | 1200 |
| ttcgtgcgcg | ccgggtcgtc | ggtcacctac | tccatatact | cggcggggcg | catgaagggg | 1260 |
| gtgtgggggg | aggactgcct | cgagtcccg | ccggagcgat | ggctgtcggc | cgacggcacc | 1320 |
| aagttcgagc | agcacgactc | gtacaagttc | gtggcggtca | acgcccggcc | gaggggtgtg | 1380 |
| ctgggcaagg | acctagccta | cctgcagatg | aagaacatcg | ccgggagcgt | gctgctccgg | 1440 |
| cacgcctga | ccgtggcgcc | gggccaccgc | gtggagcaga | agatgtcgct | cacgctcttc | 1500 |
| atgaaggggc | ggctacggat | ggaggtacgt | ccgcgcgacc | tcgcccccg | cctcgacgag | 1560 |
| ccctgcggcc | tggaacgcgg | cgcgcgccac | gccgcgcgag | caagtgccac | agcgcgcgtg | 1620 |
| gcgtag | | | | | | 1626 |

<210> 15
<211> 501
<212> PRT
<213> Artificial Sequence

<220>
<223> Altered sequences

<400> 15

Met Asp Val Leu Leu Leu Glu Lys Ala Leu Leu Gly Leu Phe Ala Ala
 1 5 10 15
 Ala Val Leu Ala Ile Ala Val Ala Lys Leu Thr Gly Lys Arg Phe Arg
 20 25 30
 Leu Pro Pro Gly Pro Ser Gly Ala Pro Ile Val Gly Asn Trp Leu Gln
 35 40 45
 Val Gly Asp Asp Leu Asn His Arg Asn Leu Met Gly Leu Ala Lys Arg
 50 55 60
 Phe Gly Glu Val Phe Leu Leu Arg Met Gly Val Arg Asn Leu Val Val
 65 70 75 80
 Val Ser Ser Pro Glu Leu Ala Lys Glu Val Leu His Thr Gln Gly Val
 85 90 95
 Glu Phe Gly Ser Arg Thr Arg Asn Val Val Phe Asp Ile Phe Thr Gly
 100 105 110
 Lys Gly Gln Asp Met Val Phe Thr Val Tyr Gly Asp His Trp Arg Lys
 115 120 125
 Met Arg Arg Ile Met Thr Val Pro Phe Phe Thr Asn Lys Val Val Ala
 130 135 140
 Gln Asn Arg Val Gly Trp Glu Glu Glu Ala Arg Leu Val Val Glu Asp
 145 150 155 160
 Leu Lys Ala Asp Pro Ala Ala Ala Thr Ala Gly Val Val Val Arg Arg
 165 170 175
 Arg Leu Gln Leu Met Met Tyr Asn Asp Met Phe Arg Ile Met Phe Asp
 180 185 190
 Arg Arg Phe Glu Ser Val Ala Asp Pro Leu Phe Asn Gln Leu Lys Ala
 195 200 205
 Leu Asn Ala Glu Arg Ser Ile Leu Ser Gln Ser Phe Asp Tyr Asn Tyr
 210 215 220
 Gly Asp Phe Ile Pro Val Leu Arg Pro Phe Leu Arg Arg Tyr Leu Asn
 225 230 235 240
 Arg Cys Thr Asn Leu Lys Thr Lys Arg Met Lys Val Phe Glu Asp His
 245 250 255
 Phe Val Gln Gln Arg Lys Glu Ala Leu Glu Lys Thr Gly Glu Ile Arg
 260 265 270
 Cys Ala Met Asp His Ile Leu Glu Ala Glu Arg Lys Gly Glu Ile Asn
 275 280 285
 His Asp Asn Val Leu Tyr Ile Val Glu Asn Ile Asn Val Ala Ala Ile
 290 295 300
 Glu Thr Thr Leu Trp Ser Ile Glu Trp Gly Leu Ala Glu Leu Val Asn
 305 310 315 320
 His Pro Glu Ile Gln Gln Lys Leu Arg Glu Glu Ile Val Ala Val Leu
 325 330 335
 Gly Ala Gly Val Ala Val Thr Glu Pro Asp Leu Glu Arg Leu Pro Tyr

Leu Gln Ser Val Val Lys Glu Thr Leu Arg Leu Arg Met Ala Ile Pro
 355 360 365
 Leu Leu Val Pro His Met Asn Leu Ser Asp Ala Lys Leu Ala Gly Tyr
 370 375 380
 Asp Ile Pro Ala Glu Ser Lys Ile Leu Val Asn Ala Trp Phe Leu Ala
 385 390 395 400
 Asn Asp Pro Lys Arg Trp Val Arg Ala Asp Glu Phe Arg Pro Glu Arg
 405 410 415
 Phe Leu Glu Glu Glu Lys Ala Val Glu Ala His Gly Asn Asp Phe Arg
 420 425 430
 Phe Val Pro Phe Gly Val Gly Arg Arg Ser Cys Pro Gly Ile Ile Leu
 435 440 445
 Ala Leu Pro Ile Ile Gly Ile Thr Leu Gly Arg Leu Val Gln Asn Phe
 450 455 460
 Gln Leu Leu Pro Pro Pro Gly Gln Asp Lys Ile Asp Thr Thr Glu Lys
 465 470 475 480
 Pro Gly Gln Phe Thr Asn Gln Ile Leu Lys His Ala Thr Ile Val Cys
 485 490 495
 Lys Pro Leu Glu Ala
 500

<210> 16
 <211> 501
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Altered sequences

<400> 16

Met Asp Val Leu Leu Leu Glu Lys Ala Leu Leu Gly Leu Phe Ala Ala
 1 5 10 15
 Ala Val Leu Ala Ile Ala Val Ala Lys Leu Thr Gly Lys Arg Phe Arg
 20 25 30
 Leu Pro Pro Gly Pro Ser Gly Ala Pro Ile Val Gly Asn Trp Leu Gln
 35 40 45
 Val Gly Asp Asp Leu Asn His Arg Asn Leu Met Gly Leu Ala Lys Arg
 50 55 60
 Phe Gly Glu Val Phe Leu Leu Arg Met Gly Val Arg Asn Leu Val Val
 65 70 75 80
 Val Ser Ser Pro Glu Leu Ala Lys Glu Val Leu His Thr Gln Gly Val
 85 90 95
 Glu Phe Gly Ser Arg Thr Arg Asn Val Val Phe Asp Ile Phe Thr Gly
 100 105 110
 Lys Gly Gln Asp Met Val Phe Thr Val Tyr Gly Asp His Trp Arg Lys

00511-13734.111500

| | | |
|---|-----|-----|
| 115 | 120 | 125 |
| Met Arg Arg Ile Met Thr Val Pro Phe Phe Thr Asn Lys Val Val Ala | | |
| 130 | 135 | 140 |
| Gln Asn Arg Val Gly Trp Glu Glu Glu Ala Arg Leu Val Val Glu Asp | | |
| 145 | 150 | 155 |
| Leu Lys Ala Asp Pro Ala Ala Ala Thr Ala Gly Val Val Val Arg Arg | | |
| | 165 | 170 |
| Arg Leu Gln Leu Met Met Tyr Asn Asp Met Phe Arg Ile Met Phe Asp | | |
| | 180 | 185 |
| Arg Arg Phe Glu Ser Val Ala Asp Pro Leu Phe Asn Gln Leu Lys Ala | | |
| | 195 | 200 |
| Leu Asn Ala Glu Arg Ser Ile Leu Ser Gln Ser Phe Asp Tyr Asn Tyr | | |
| | 210 | 215 |
| Gly Asp Phe Ile Pro Val Leu Arg Pro Phe Leu Arg Arg Tyr Leu Asn | | |
| 225 | 230 | 235 |
| Arg Cys Thr Asn Leu Lys Thr Lys Arg Met Lys Val Phe Glu Asp His | | |
| | 245 | 250 |
| Phe Val Gln Gln Arg Lys Glu Ala Leu Glu Lys Thr Gly Glu Ile Arg | | |
| | 260 | 265 |
| Cys Ala Met Asp His Ile Leu Glu Ala Glu Arg Lys Gly Glu Ile Asn | | |
| | 275 | 280 |
| His Asp Asn Val Leu Tyr Ile Val Glu Asn Ile Asn Val Ala Ala Ile | | |
| | 290 | 295 |
| Glu Thr Thr Leu Trp Ser Ile Glu Trp Gly Leu Ala Glu Leu Val Asn | | |
| 305 | 310 | 315 |
| His Pro Glu Ile Gln Gln Lys Leu Arg Glu Glu Ile Val Ala Val Leu | | |
| | 325 | 330 |
| Gly Ala Gly Val Ala Val Thr Glu Pro Asp Leu Glu Arg Leu Pro Tyr | | |
| | 340 | 345 |
| Leu Gln Ser Val Val Lys Glu Thr Leu Arg Leu Arg Met Ala Ile Pro | | |
| | 355 | 360 |
| Leu Leu Val Pro His Met Asn Leu Ser Asp Ala Lys Leu Ala Gly Tyr | | |
| | 370 | 375 |
| Asp Ile Pro Ala Glu Ser Lys Ile Leu Val Asn Ala Trp Phe Leu Ala | | |
| 385 | 390 | 395 |
| Asn Asp Pro Lys Arg Trp Val Arg Ala Asp Glu Phe Arg Pro Glu Arg | | |
| | 405 | 410 |
| Phe Leu Glu Glu Glu Lys Ala Val Glu Ala His Gly Asn Asp Phe Arg | | |
| | 420 | 425 |
| Phe Val Pro Phe Gly Val Gly Arg Arg Ser Cys Pro Gly Ile Ile Leu | | |
| | 435 | 440 |
| Ala Leu Pro Ile Ile Gly Ile Thr Leu Gly Arg Leu Val Gln Asn Phe | | |
| | 450 | 455 |
| Gln Leu Leu Pro Pro Pro Gly Gln Asp Lys Ile Asp Thr Thr Glu Lys | | |
| 465 | 470 | 475 |
| | | 480 |

Pro Gly Gln Phe Thr Asn Gln Ile Leu Lys His Ala Thr Ile Val Cys
 485 490 495

Lys Pro Leu Glu Ala
 500

<210> 17

<211> 501

<212> PRT

<213> Artificial Sequence

<220>

<223> Altered sequences

<400> 17

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Met | Asp | Val | Leu | Leu | Leu | Glu | Lys | Ala | Leu | Leu | Gly | Leu | Phe | Ala | Ala |
| | | | | 5 | | | | | 10 | | | | | 15 | |
| Ala | Val | Leu | Ala | Ile | Ala | Val | Ala | Lys | Leu | Thr | Gly | Lys | Arg | Phe | Arg |
| | | | 20 | | | | | 25 | | | | | 30 | | |
| Leu | Pro | Pro | Gly | Pro | Ser | Gly | Ala | Pro | Ile | Val | Gly | Asn | Trp | Leu | Gln |
| | | 35 | | | | | 40 | | | | | 45 | | | |
| Val | Gly | Asp | Asp | Leu | Asn | His | Arg | Asn | Leu | Met | Gly | Leu | Ala | Lys | Arg |
| | 50 | | | | 55 | | | | | | 60 | | | | |
| Phe | Gly | Glu | Val | Phe | Leu | Leu | Arg | Met | Gly | Val | Arg | Asn | Leu | Val | Val |
| | | | | 70 | | | | | 75 | | | | | 80 | |
| Val | Ser | Ser | Pro | Glu | Leu | Ala | Lys | Glu | Val | Leu | His | Thr | Gln | Gly | Val |
| | | | | 85 | | | | | 90 | | | | | 95 | |
| Glu | Phe | Gly | Ser | Arg | Thr | Arg | Asn | Val | Val | Phe | Asp | Ile | Phe | Thr | Gly |
| | | | 100 | | | | 105 | | | | | | 110 | | |
| Lys | Gly | Gln | Asp | Met | Val | Phe | Thr | Val | Tyr | Gly | Asp | His | Trp | Arg | Lys |
| | | | 115 | | | | 120 | | | | | 125 | | | |
| Met | Arg | Arg | Ile | Met | Thr | Val | Pro | Phe | Phe | Thr | Asn | Lys | Val | Val | Ala |
| | | | 130 | | | 135 | | | | | 140 | | | | |
| Gln | Asn | Arg | Val | Gly | Trp | Glu | Glu | Glu | Ala | Arg | Leu | Val | Val | Glu | Asp |
| 145 | | | | 150 | | | | | | 155 | | | | 160 | |
| Leu | Lys | Ala | Asp | Pro | Ala | Ala | Ala | Thr | Ala | Gly | Val | Val | Val | Arg | Arg |
| | | | 165 | | | | | | 170 | | | | | 175 | |
| Arg | Leu | Gln | Leu | Met | Met | Tyr | Asn | Asp | Met | Phe | Arg | Ile | Met | Phe | Asp |
| | | | 180 | | | | | 185 | | | | | 190 | | |
| Arg | Arg | Phe | Glu | Ser | Val | Ala | Asp | Pro | Leu | Phe | Asn | Gln | Leu | Lys | Ala |
| | | 195 | | | | 200 | | | | | 205 | | | | |
| Leu | Asn | Ala | Glu | Arg | Ser | Ile | Leu | Ser | Gln | Ser | Phe | Asp | Tyr | Asn | Tyr |
| | 210 | | | | | 215 | | | | | 220 | | | | |
| Gly | Asp | Phe | Ile | Pro | Val | Leu | Arg | Pro | Phe | Leu | Arg | Arg | Tyr | Leu | Asn |
| 225 | | | | 230 | | | | | | 235 | | | | 240 | |
| Arg | Cys | Thr | Asn | Leu | Lys | Thr | Lys | Arg | Met | Lys | Val | Phe | Glu | Asp | His |

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | | | 245 | | | | | 250 | | | | | 255 | |
| Phe | Val | Gln | Gln | Arg | Lys | Glu | Ala | Leu | Glu | Lys | Thr | Gly | Glu | Ile | Arg |
| | | | 260 | | | | | | 265 | | | | | 270 | |
| Cys | Ala | Met | Asp | His | Ile | Leu | Glu | Ala | Glu | Arg | Lys | Gly | Glu | Ile | Asn |
| | | 275 | | | | | | 280 | | | | | 285 | | |
| His | Asp | Asn | Val | Leu | Tyr | Ile | Val | Glu | Asn | Ile | Asn | Val | Ala | Ala | Ile |
| | 290 | | | | | 295 | | | | | 300 | | | | |
| Glu | Thr | Thr | Leu | Trp | Ser | Ile | Glu | Trp | Gly | Leu | Ala | Glu | Leu | Val | Asn |
| 305 | | | | | 310 | | | | | 315 | | | | 320 | |
| His | Pro | Glu | Ile | Gln | Gln | Lys | Leu | Arg | Glu | Glu | Ile | Val | Ala | Val | Leu |
| | | | | 325 | | | | | 330 | | | | | 335 | |
| Gly | Ala | Gly | Val | Ala | Val | Thr | Glu | Pro | Asp | Leu | Glu | Arg | Leu | Pro | Tyr |
| | | | 340 | | | | | 345 | | | | | 350 | | |
| Leu | Gln | Ser | Val | Val | Lys | Glu | Thr | Leu | Arg | Leu | Arg | Met | Ala | Ile | Pro |
| | | 355 | | | | 360 | | | | | | 365 | | | |
| Leu | Leu | Val | Pro | His | Met | Asn | Leu | Ser | Asp | Ala | Lys | Leu | Ala | Gly | Tyr |
| | 370 | | | | 375 | | | | | | 380 | | | | |
| Asp | Ile | Pro | Ala | Glu | Ser | Lys | Ile | Leu | Val | Asn | Ala | Trp | Phe | Leu | Ala |
| 385 | | | | | 390 | | | | | 395 | | | | 400 | |
| Asn | Asp | Pro | Lys | Arg | Trp | Val | Arg | Ala | Asp | Glu | Phe | Arg | Pro | Glu | Arg |
| | | | 405 | | | | | | 410 | | | | 415 | | |
| Phe | Leu | Glu | Glu | Glu | Lys | Ala | Val | Glu | Ala | His | Gly | Asn | Asp | Phe | Arg |
| | | | 420 | | | | | 425 | | | | | 430 | | |
| Phe | Val | Pro | Phe | Gly | Val | Gly | Arg | Arg | Ser | Cys | Pro | Gly | Ile | Ile | Leu |
| | 435 | | | | | 440 | | | | | 445 | | | | |
| Ala | Leu | Pro | Ile | Ile | Gly | Ile | Thr | Leu | Gly | Arg | Leu | Val | Gln | Asn | Phe |
| | 450 | | | | 455 | | | | | 460 | | | | | |
| Gln | Leu | Leu | Pro | Pro | Pro | Gly | Gln | Asp | Lys | Ile | Asp | Thr | Thr | Glu | Lys |
| 465 | | | | | 470 | | | | | 475 | | | | 480 | |
| Pro | Gly | Gln | Phe | Thr | Asn | Gln | Ile | Leu | Lys | His | Ala | Thr | Ile | Val | Cys |
| | | | 485 | | | | | 490 | | | | | 495 | | |
| Lys | Pro | Leu | Glu | Ala | | | | | | | | | | | |
| | | | 500 | | | | | | | | | | | | |

<210> 18

<211> 501

<212> PRT

<213> Artificial Sequence

<220>

<223> Altered sequences

<400> 18

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Met | Asp | Val | Leu | Leu | Leu | Glu | Lys | Ala | Leu | Leu | Gly | Leu | Phe | Ala | Ala |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

1

5

10

15

| | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| Ala | Val | Leu | Ala | Ile | Ala | Val | Ala | Lys | Leu | Thr | Gly | Lys | Arg | Phe | Arg | | |
| | | | 20 | | | | | 25 | | | | | 30 | | | | |
| Leu | Pro | Pro | Gly | Pro | Ser | Gly | Ala | Pro | Ile | Val | Gly | Asn | Trp | Leu | Gln | | |
| | | | 35 | | | | 40 | | | | | 45 | | | | | |
| Val | Gly | Asp | Asp | Leu | Asn | His | Arg | Asn | Leu | Met | Gly | Leu | Ala | Lys | Arg | | |
| | | | 50 | | | 55 | | | | | 60 | | | | | | |
| Phe | Gly | Glu | Val | Phe | Leu | Leu | Arg | Met | Gly | Val | Arg | Asn | Leu | Val | Val | | |
| 65 | | | | | 70 | | | | | 75 | | | | | 80 | | |
| Val | Ser | Ser | Pro | Glu | Leu | Ala | Lys | Glu | Val | Leu | His | Thr | Gln | Gly | Val | | |
| | | | | 85 | | | | | 90 | | | | | 95 | | | |
| Glu | Phe | Gly | Ser | Arg | Thr | Arg | Asn | Val | Val | Phe | Asp | Ile | Phe | Thr | Gly | | |
| | | | 100 | | | | 105 | | | | | | 110 | | | | |
| Lys | Gly | Gln | Asp | Met | Val | Phe | Thr | Val | Tyr | Gly | Asp | His | Trp | Arg | Lys | | |
| | | 115 | | | | 120 | | | | | | 125 | | | | | |
| Met | Arg | Arg | Ile | Met | Thr | Val | Pro | Phe | Phe | Thr | Asn | Lys | Val | Val | Ala | | |
| | | 130 | | | | 135 | | | | | 140 | | | | | | |
| Gln | Asn | Arg | Val | Gly | Trp | Glu | Glu | Glu | Ala | Arg | Leu | Val | Val | Glu | Asp | | |
| 145 | | | | | 150 | | | | 155 | | | | | | 160 | | |
| Leu | Lys | Ala | Asp | Pro | Ala | Ala | Ala | Thr | Ala | Gly | Val | Val | Val | Arg | Arg | | |
| | | | 165 | | | | | | 170 | | | | | | 175 | | |
| Arg | Leu | Gln | Leu | Met | Met | Tyr | Asn | Asp | Met | Phe | Arg | Ile | Met | Phe | Asp | | |
| | | 180 | | | | | 185 | | | | | | 190 | | | | |
| Arg | Arg | Phe | Glu | Ser | Val | Ala | Asp | Pro | Leu | Phe | Asn | Gln | Leu | Lys | Ala | | |
| | | 195 | | | | 200 | | | | | | 205 | | | | | |
| Leu | Asn | Ala | Glu | Arg | Ser | Ile | Leu | Ser | Gln | Ser | Phe | Asp | Tyr | Asn | Tyr | | |
| | 210 | | | | | 215 | | | | | 220 | | | | | | |
| Gly | Asp | Phe | Ile | Pro | Val | Leu | Arg | Pro | Phe | Leu | Arg | Arg | Tyr | Leu | Asn | | |
| 225 | | | | | 230 | | | | | 235 | | | | | 240 | | |
| Arg | Cys | Thr | Asn | Leu | Lys | Thr | Lys | Arg | Met | Lys | Val | Phe | Glu | Asp | His | | |
| | | | 245 | | | | | | 250 | | | | | 255 | | | |
| Phe | Val | Gln | Gln | Arg | Lys | Glu | Ala | Leu | Glu | Lys | Thr | Gly | Glu | Ile | Arg | | |
| | | | 260 | | | | | 265 | | | | | 270 | | | | |
| Cys | Ala | Met | Asp | His | Ile | Leu | Glu | Ala | Glu | Arg | Lys | Gly | Glu | Ile | Asn | | |
| | | 275 | | | | | 280 | | | | | | 285 | | | | |
| His | Asp | Asn | Val | Leu | Tyr | Ile | Val | Glu | Asn | Ile | Asn | Val | Ala | Ala | Ile | | |
| | 290 | | | | | 295 | | | | | 300 | | | | | | |
| Glu | Thr | Thr | Leu | Trp | Ser | Ile | Glu | Trp | Gly | Leu | Ala | Glu | Leu | Val | Asn | | |
| 305 | | | | | 310 | | | | | 315 | | | | | 320 | | |
| His | Pro | Glu | Ile | Gln | Lys | Leu | Arg | Glu | Glu | Ile | Val | Ala | Val | Leu | | | |
| | | | 325 | | | | | 330 | | | | | | 335 | | | |
| Gly | Ala | Gly | Val | Ala | Val | Thr | Glu | Pro | Asp | Leu | Glu | Arg | Leu | Pro | Tyr | | |
| | | | 340 | | | | | 345 | | | | | 350 | | | | |
| Leu | Gln | Ser | Val | Val | Lys | Glu | Thr | Leu | Arg | Leu | Arg | Met | Ala | Ile | Pro | | |
| | | 355 | | | | 360 | | | | | | 365 | | | | | |
| Leu | Leu | Val | Pro | His | Met | Asn | Leu | Ser | Asp | Ala | Lys | Leu | Ala | Gly | Tyr | | |

| | | |
|---|-----|-----|
| 370 | 375 | 380 |
| Asp Ile Pro Ala Glu Ser Lys Ile Leu Val Asn Ala Trp Phe Leu Ala | | |
| 385 | 390 | 395 |
| Asn Asp Pro Lys Arg Trp Val Arg Ala Asp Glu Phe Arg Pro Glu Arg | | 400 |
| | 405 | 410 |
| Phe Leu Glu Glu Lys Ala Val Glu Ala His Gly Asn Asp Phe Arg | | 415 |
| | 420 | 425 |
| Phe Val Pro Phe Gly Val Gly Arg Arg Ser Cys Pro Gly Ile Ile Leu | | 430 |
| | 435 | 440 |
| Ala Leu Pro Ile Ile Gly Ile Thr Leu Gly Arg Leu Val Gln Asn Phe | | 445 |
| | 450 | 455 |
| Gln Leu Leu Pro Pro Pro Gly Gln Asp Lys Ile Asp Thr Thr Glu Lys | | 460 |
| 465 | 470 | 475 |
| Pro Gly Gln Phe Thr Asn Gln Ile Leu Lys His Ala Thr Ile Val Cys | | 480 |
| | 485 | 490 |
| | | 495 |
| Lys Pro Leu Glu Ala | | |
| 500 | | |

<210> 19
 <211> 541
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Altered sequences

<400> 19

| | | |
|---|-----|-----|
| Met Glu Val Gly Thr Trp Ala Val Val Val Ser Ala Val Ala Ala Tyr | | |
| 1 | 5 | 10 |
| Met Ala Trp Phe Trp Arg Met Ser Arg Gly Leu Arg Gly Pro Arg Val | | 15 |
| | 20 | 25 |
| Trp Pro Val Leu Gly Ser Leu Pro Gly Leu Val Gln His Ala Glu Asp | | 30 |
| | 35 | 40 |
| Met His Glu Trp Ile Ala Gly Asn Leu Arg Arg Ala Gly Gly Thr Tyr | | 45 |
| | 50 | 55 |
| Gln Thr Cys Ile Phe Ala Val Pro Gly Val Ala Arg Arg Gly Gly Leu | | 60 |
| 65 | 70 | 75 |
| Val Thr Val Thr Cys Asp Pro Arg Asn Leu Glu His Val Leu Lys Ala | | 80 |
| | 85 | 90 |
| Arg Phe Asp Asn Tyr Pro Lys Gly Pro Phe Trp His Gly Val Phe Arg | | 95 |
| | 100 | 105 |
| Asp Leu Leu Gly Asp Gly Ile Phe Asn Ser Asp Gly Asp Thr Trp Leu | | 110 |
| | 115 | 120 |
| Ala Gln Arg Lys Thr Ala Ala Leu Glu Phe Thr Thr Arg Thr Leu Arg | | 125 |
| 130 | 135 | 140 |

Thr Ala Met Ser Arg Trp Val Ser Arg Ser Ile His Gly Arg Leu Leu
 145 150 155 160
 Pro Ile Leu Ala Asp Ala Ala Lys Gly Lys Ala Gln Val Asp Leu Gln
 165 170 175
 Asp Leu Leu Leu Arg Leu Thr Phe Asp Asn Ile Cys Gly Leu Ala Phe
 180 185 190
 Gly Lys Asp Pro Glu Thr Leu Ala Gln Gly Leu Pro Glu Asn Glu Phe
 195 200 205
 Ala Ser Ala Phe Asp Arg Ala Thr Glu Ala Thr Leu Asn Arg Phe Ile
 210 215 220
 Phe Pro Glu Phe Leu Trp Arg Cys Lys Lys Trp Leu Gly Leu Gly Met
 225 230 235 240
 Glu Thr Thr Leu Thr Ser Ser Met Ala His Val Asp Gln Tyr Leu Ala
 245 250 255
 Ala Val Ile Lys Lys Arg Lys Leu Glu Leu Ala Ala Gly Asn Gly Lys
 260 265 270
 Cys Asp Thr Ala Ala Thr His Asp Asp Leu Leu Ser Arg Phe Met Arg
 275 280 285
 Lys Gly Ser Tyr Ser Asp Glu Ser Leu Gln His Val Ala Leu Asn Phe
 290 295 300
 Ile Leu Ala Gly Arg Asp Thr Ser Ser Val Ala Leu Ser Trp Phe Phe
 305 310 315 320
 Trp Leu Val Ser Thr His Pro Ala Val Glu Arg Lys Ile Val Arg Glu
 325 330 335
 Leu Cys Ser Val Leu Ala Ala Ser Arg Gly Ala His Asp Pro Ala Leu
 340 345 350
 Trp Leu Ala Glu Pro Phe Thr Phe Glu Glu Leu Asp Arg Leu Val Tyr
 355 360 365
 Leu Lys Ala Ala Leu Ser Glu Thr Leu Arg Leu Tyr Pro Ser Val Pro
 370 375 380
 Glu Asp Ser Lys His Val Val Ala Asp Asp Tyr Leu Pro Asp Gly Thr
 385 390 395 400
 Phe Val Pro Ala Gly Ser Ser Val Thr Tyr Ser Ile Tyr Ser Ala Gly
 405 410 415
 Arg Met Lys Gly Val Trp Gly Glu Asp Cys Leu Glu Phe Arg Pro Glu
 420 425 430
 Arg Trp Leu Ser Ala Asp Gly Thr Lys Phe Glu Gln His Asp Ser Tyr
 435 440 445
 Lys Phe Val Ala Phe Asn Ala Gly Pro Arg Val Cys Leu Gly Lys Asp
 450 455 460
 Leu Ala Tyr Leu Gln Met Lys Asn Ile Ala Gly Ser Val Leu Leu Arg
 465 470 475 480
 His Arg Leu Thr Val Ala Pro Gly His Arg Val Glu Gln Lys Met Ser
 485 490 495
 Leu Thr Leu Phe Met Lys Gly Gly Leu Arg Met Glu Val Arg Pro Arg

| | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|
| 500 | | | | | | | | | | 505 | | | | | 510 | | | | |
| Asp | Leu | Ala | Pro | Val | Leu | Asp | Glu | Pro | Cys | Gly | Leu | Asp | Ala | Gly | Ala | | | | |
| 515 | | | | | | | | | | 520 | | | | | 525 | | | | |
| Ala | Thr | Ala | Ala | Ala | Ala | Ser | Ala | Thr | Ala | Pro | Cys | Ala | | | | | | | |
| 530 | | | | | | | | | | 535 | | | | | 540 | | | | |

<210> 20
 <211> 541
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Altered sequences

<400> 20

| | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|
| Met | Glu | Val | Gly | Thr | Trp | Ala | Val | Val | Val | Ser | Ala | Val | Ala | Ala | Tyr | | | | |
| | | | | | | | | | | 10 | | | | | 15 | | | | |
| Met | Ala | Trp | Phe | Trp | Arg | Met | Ser | Arg | Gly | Leu | Arg | Gly | Pro | Arg | Val | | | | |
| 20 | | | | | | | | | | 25 | | | | | 30 | | | | |
| Trp | Pro | Val | Leu | Gly | Ser | Leu | Pro | Gly | Leu | Val | Gln | His | Ala | Glu | Asp | | | | |
| 35 | | | | | | | | | | 40 | | | | | 45 | | | | |
| Met | His | Glu | Trp | Ile | Ala | Gly | Asn | Leu | Arg | Arg | Ala | Gly | Gly | Thr | Tyr | | | | |
| 50 | | | | | | | | | | 55 | | | | | 60 | | | | |
| Gln | Thr | Cys | Ile | Phe | Ala | Val | Pro | Gly | Val | Ala | Arg | Arg | Gly | Gly | Leu | | | | |
| 65 | | | | | | | | | | 70 | | | | | 75 | | | | |
| Val | Thr | Val | Thr | Cys | Asp | Pro | Arg | Asn | Leu | Glu | His | Val | Leu | Lys | Ala | | | | |
| 85 | | | | | | | | | | 90 | | | | | 95 | | | | |
| Arg | Phe | Asp | Asn | Tyr | Pro | Lys | Gly | Pro | Phe | Trp | His | Gly | Val | Phe | Arg | | | | |
| 100 | | | | | | | | | | 105 | | | | | 110 | | | | |
| Asp | Leu | Leu | Gly | Asp | Gly | Ile | Phe | Asn | Ser | Asp | Gly | Asp | Thr | Trp | Leu | | | | |
| 115 | | | | | | | | | | 120 | | | | | 125 | | | | |
| Ala | Gln | Arg | Lys | Thr | Ala | Ala | Leu | Glu | Phe | Thr | Thr | Arg | Thr | Leu | Arg | | | | |
| 130 | | | | | | | | | | 135 | | | | | 140 | | | | |
| Thr | Ala | Met | Ser | Arg | Trp | Val | Ser | Arg | Ser | Ile | His | Gly | Arg | Leu | Leu | | | | |
| 145 | | | | | | | | | | 150 | | | | | 155 | | | | |
| Pro | Ile | Leu | Ala | Asp | Ala | Ala | Lys | Gly | Lys | Ala | Gln | Val | Asp | Leu | Gln | | | | |
| 165 | | | | | | | | | | 170 | | | | | 175 | | | | |
| Asp | Leu | Leu | Leu | Arg | Leu | Thr | Phe | Asp | Asn | Ile | Cys | Gly | Leu | Ala | Phe | | | | |
| 180 | | | | | | | | | | 185 | | | | | 190 | | | | |
| Gly | Lys | Asp | Pro | Glu | Thr | Leu | Ala | Gln | Gly | Leu | Pro | Glu | Asn | Glu | Phe | | | | |
| 195 | | | | | | | | | | 200 | | | | | 205 | | | | |
| Ala | Ser | Ala | Phe | Asp | Arg | Ala | Thr | Glu | Ala | Thr | Leu | Asn | Arg | Phe | Ile | | | | |
| 210 | | | | | | | | | | 215 | | | | | 220 | | | | |
| Phe | Pro | Glu | Phe | Leu | Trp | Arg | Cys | Lys | Lys | Trp | Leu | Gly | Leu | Gly | Met | | | | |
| 225 | | | | | | | | | | 230 | | | | | 235 | | | | |
| | | | | | | | | | | | | | | | 240 | | | | |

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Glu | Thr | Thr | Leu | Thr | Ser | Ser | Met | Ala | His | Val | Asp | Gln | Tyr | Leu | Ala | |
| | | | | | 245 | | | | 250 | | | | | | 255 | |
| Ala | Val | Ile | Lys | Lys | Arg | Lys | Leu | Glu | Leu | Ala | Ala | Gly | Asn | Gly | Lys | |
| | | | 260 | | | | 265 | | | | | | 270 | | | |
| Cys | Asp | Thr | Ala | Ala | Thr | His | Asp | Asp | Leu | Leu | Ser | Arg | Phe | Met | Arg | |
| | 275 | | | | | | 280 | | | | | 285 | | | | |
| Lys | Gly | Ser | Tyr | Ser | Asp | Glu | Ser | Leu | Gln | His | Val | Ala | Leu | Asn | Phe | |
| | 290 | | | | | 295 | | | | | 300 | | | | | |
| Ile | Leu | Ala | Gly | Arg | Asp | Thr | Ser | Ser | Val | Ala | Leu | Ser | Trp | Phe | Phe | |
| 305 | | | | | 310 | | | | 315 | | | | | | 320 | |
| Trp | Leu | Val | Ser | Thr | His | Pro | Ala | Val | Glu | Arg | Lys | Ile | Val | Arg | Glu | |
| | | | | 325 | | | | 330 | | | | | | 335 | | |
| Leu | Cys | Ser | Val | Leu | Ala | Ala | Ser | Arg | Gly | Ala | His | Asp | Pro | Ala | Leu | |
| | | 340 | | | | | 345 | | | | | | 350 | | | |
| Trp | Leu | Ala | Glu | Pro | Phe | Thr | Phe | Glu | Glu | Leu | Asp | Arg | Leu | Val | Tyr | |
| | | 355 | | | | | 360 | | | | | 365 | | | | |
| Leu | Lys | Ala | Ala | Leu | Ser | Glu | Thr | Leu | Arg | Leu | Tyr | Pro | Ser | Val | Pro | |
| | 370 | | | | | 375 | | | | | 380 | | | | | |
| Glu | Asp | Ser | Lys | His | Val | Val | Ala | Asp | Asp | Tyr | Leu | Pro | Asp | Gly | Thr | |
| 385 | | | | | 390 | | | | | 395 | | | | | 400 | |
| Phe | Val | Pro | Ala | Gly | Ser | Ser | Val | Thr | Tyr | Ser | Ile | Tyr | Ser | Ala | Gly | |
| | | | 405 | | | | | 410 | | | | | | 415 | | |
| Arg | Met | Lys | Gly | Val | Trp | Gly | Glu | Asp | Cys | Leu | Glu | Phe | Arg | Pro | Glu | |
| | | 420 | | | | | 425 | | | | | | 430 | | | |
| Arg | Trp | Leu | Ser | Ala | Asp | Gly | Thr | Lys | Phe | Glu | Gln | His | Asp | Ser | Tyr | |
| | | 435 | | | | 440 | | | | | | 445 | | | | |
| Lys | Phe | Val | Ala | Phe | Asn | Ala | Gly | Pro | Arg | Val | Cys | Leu | Gly | Lys | Asp | |
| | 450 | | | | 455 | | | | | 460 | | | | | | |
| Leu | Ala | Tyr | Leu | Gln | Met | Lys | Asn | Ile | Ala | Gly | Ser | Val | Leu | Leu | Arg | |
| 465 | | | | | 470 | | | | 475 | | | | | | 480 | |
| His | Arg | Leu | Thr | Val | Ala | Pro | Gly | His | Arg | Val | Glu | Gln | Lys | Met | Ser | |
| | | | 485 | | | | | 490 | | | | | | 495 | | |
| Leu | Thr | Leu | Phe | Met | Lys | Gly | Gly | Leu | Arg | Met | Glu | Val | Arg | Pro | Arg | |
| | | 500 | | | | | 505 | | | | | | 510 | | | |
| Asp | Leu | Ala | Pro | Val | Leu | Asp | Glu | Pro | Cys | Gly | Leu | Asp | Ala | Gly | Ala | |
| | 515 | | | | | | 520 | | | | | 525 | | | | |
| Ala | Thr | Ala | Ala | Ala | Ala | Ser | Ala | Thr | Ala | Pro | Cys | Ala | | | | |
| | 530 | | | | | 535 | | | | | 540 | | | | | |